

FLEX

IT'S
WHAT'S
NEXT



WHAT'S NEW

LOOK FOR THIS ICON
TO SEE WHAT'S NEW IN
THE FLEX 24V LINEUP

NEW

**3.5Ah Stacked Lithium
Battery and 160W Fast
Charger Starter Kit**

Page 9



**½" 2-Speed
COMPACT
Drill Driver**
Page 12-13



**¼" Hex
COMPACT
Impact Driver**
Page 28-29



Cabinet
Page 110-111



**2-Drawer
Tool Box**
Page 108-109



**3-Drawer
Tool Box**
Page 108-109

**½" Mid-Torque
Impact Wrench**
Page 34-35



**Drywall
Screw Gun**
Page 74-75



**½" 2-Speed COMPACT
Hammer Drill Driver**
Page 18-19



**5" Random
Orbital
Sander**
Page 62-63



Trim Router
Page 72-73

Crate
Page 112-113



16" Tote
Page 120-121



Hand Tool Pouch
Page 122-123



Worktop
Page 114-115

2½" COMPACT Band Saw
Page 42-43



5" Deep Cut Band Saw
Page 44-45



**½" Right
Angle Drill**
Page 26-27



**½" COMPACT
Right Angle Drill**
Page 24-25



Deep Organizer Box
Page 118-119



Rack Shelf
Page 124-125



Wall Mount Rails
Page 126-127

Die Grinder
Page 64-65



**Inspection
Light**
Page 82-83



**COMPACT Drill Driver and
Impact Driver Combo Kit**
Page 136



**Drywall Screw Gun and Drywall
Cut Out Tool Combo Kit**
Page 138



Dolly
Page 116-117



Rolling Tool Box Mount
Page 129



**Mounting Brackets,
4-Pack**
Page 126,129



Box Mount Kit, 10pc.
Page 126-127



Band Saw Blades
Page 146

Razor Slice™ Discs Page 144



SightMAX™ Discs Page 142-143

Abrasive Discs Page 145



FLEX

IT'S
WHAT'S
NEXT

LIMITED LIFETIME WARRANTY

TOOLS • BATTERIES • CHARGERS



REGISTER WITHIN 30 DAYS OF PURCHASE

to gain exclusive access to the FLEX Founders Limited Lifetime Warranty on all FLEX 24V tools, batteries, and chargers at registermyflex.com.

REGISTER NOW



See full warranty details at [FLEXPOWERTOOLS.COM/WARRANTY](https://flexpowertools.com/warranty)

TABLE OF CONTENTS

06
POWER

10
DRILLING, DRIVING,
AND FASTENING

40
CUTTING

60
SURFACING

70
SPECIALTY

80
SYSTEM
SUPPORT

98
STORAGE AND
ORGANIZATION

130
COMBO KITS


140
ACCESSORIES




WHAT'S THE DIFFERENCE

Besides physical appearance,

LITHIUM
Cylindrical Cell



STACKED
LITHIUM
Flat Pouch Cell



The main differences are **POWER** and **RESISTANCE**

POWER

FLEX Stacked Lithium has greater power to weight than standard lithium cylinder cells for more power in a smaller, lighter battery. Combined with our **24V** platform, **FLEX Stacked Lithium** and **FLEX** Lithium batteries give you more power versus the competition.

STACKED LITHIUM
**200%
MORE POWER**
versus traditional lithium
batteries

LITHIUM
**20%
MORE POWER**
versus the competition's
lithium batteries

RESISTANCE

Resistance is the opposing force to electrical current flow. Resistance generates heat. More heat reduces current flow resulting in less power in and out and a shortened battery lifespan.

THINK OF RESISTANCE LIKE A DOORWAY

LITHIUM



ONE CURRENT PATHWAY =
MORE RESISTANCE
• Shortened battery life
• Longer charge times
• Less power


STACKED LITHIUM



MULTIPLE CURRENT PATHWAYS =
LESS RESISTANCE
• Longer battery life
• Faster charging
• **More Power**

FLEX

VS
The Competition
MORE WATTS = MORE POWER



THE
FLEX
ADVANTAGE

Fast charging + Higher power output batteries =
MORE PRODUCTIVITY to crush job after job.

FLEX 24V GIVES YOU MORE

STACKED LITHIUM™

- 200% MORE POWER**
Outperforms traditional lithium, unleashing power that changes everything
- 300% LONGER BATTERY LIFE**
Battery lifetime lasts four times longer than traditional lithium
- 100% FASTER CHARGING**
Fully charges in as little as 15 minutes
- 100% CROSS-COMPATIBLE**
Operates with all FLEX 24V tools and chargers

THERMA-TECH™ + HEAT MANAGEMENT
Innovative cooling system minimizes heat for 25% longer runtime

POWER IQ
Intelligent power management discharges at a higher output to extend performance

DROP, DUST, AND WATER RESISTANT
Engineered with a shock-resistant design and sealed electronics

THERMA-TECH™ HEAT MANAGEMENT
State-of-the-art THERMA-TECH™ material prevents overheating and promotes longer runtime

LITHIUM

- 20% MORE POWER**
Innovative design evenly distributes power to overperform in the most challenging conditions
- 25% LONGER RUNTIME**
State-of-the-art THERMA-TECH™ material prevents overheating and promotes longer runtime
- 50% FASTER CHARGING**
Industry-leading recharge times get you back to work in as little as 30 minutes
- 100% CROSS-COMPATIBLE**
Operates with all FLEX 24V tools and chargers

FLEX 24V BATTERIES

	10.0Ah STACKED LITHIUM BATTERY	6.0Ah STACKED LITHIUM BATTERY	3.5Ah STACKED LITHIUM BATTERY	12.0Ah LITHIUM BATTERY	8.0Ah LITHIUM BATTERY	5.0Ah LITHIUM BATTERY	2.5Ah LITHIUM BATTERY
	FX0341-1	FX0331-1	FX0321-1	FX0231-1	FX0221-1	FX0121-1	FX0111-1
Power	2,520W	1,920W	1,200W	2,160W	1,440W	960W	480W
Battery Weight	3.4 lbs	2.2 lbs	1.5 lbs	4 lbs	3 lbs	2.1 lbs	1.3 lbs

FLEX CHARGERS

»

SMART CHARGE GAUGE
Indicator lights show charging levels for efficient use and easier recharging

»

TWIN FAN TECHNOLOGY
Two integrated fans keep charger and battery cool to prevent overheating and provide longer life

»

CHARGE IQ
Built-in intelligent processor optimizes power flow for accelerated charge time

BATTERY CHARGING TIMES TO 100%

	160W FAST CHARGER	280W RAPID CHARGER	550W SUPER CHARGER	1120W 4-PORT 280W CHARGER
24V 2.5Ah LITHIUM	30 MINUTES	30 MINUTES	27 MINUTES	30 MINUTES
24V 3.5Ah STACKED LITHIUM	35 MINUTES	20 MINUTES	15 MINUTES	20 MINUTES
24V 5.0Ah LITHIUM	60 MINUTES	30 MINUTES	27 MINUTES	30 MINUTES
24V 6.0Ah STACKED LITHIUM	65 MINUTES	35 MINUTES	18 MINUTES	35 MINUTES
24V 8.0Ah LITHIUM	90 MINUTES	50 MINUTES	27 MINUTES	50 MINUTES
24V 10.0Ah STACKED LITHIUM	110 MINUTES	55 MINUTES	30 MINUTES	55 MINUTES
24V 12.0Ah LITHIUM	140 MINUTES	75 MINUTES	35 MINUTES	75 MINUTES

160W FAST CHARGER
FX0411-Z



280W RAPID CHARGER
FX0421-Z



550W SUPER CHARGER
FX0431-Z



1120W 4-PORT SIMULTANEOUS RAPID CHARGER
FX0451-Z



All FLEX chargers are compatible with the FLEX STACK PACK STORAGE SYSTEM. 160W, 280W, and 550W chargers require purchase of FLEX ADJUSTABLE CHARGER MOUNT attachment to be compatible with STACK PACK.

ATTACHMENT

ADJUSTABLE CHARGER MOUNT, 2-PACK
FS1606-2
ITEM SOLD SEPARATELY



FLEX IT'S WHAT'S NEXT

BATTERY/CHARGER KITS

24V LITHIUM
5.0Ah LITHIUM / 160W FAST CHARGER STARTER KIT
FX0411-1C

24V 5.0Ah LITHIUM BATTERY 160W FAST CHARGER



The FLEX 24V Lithium Battery Platform brings power output to the next level. It combines intelligent battery management with state-of-the-art THERMA-TECH™ cooling technology to deliver power that's up to 20% higher than anything you've experienced. Kit includes 24V 5.0Ah Lithium Battery and 160W Fast Charger.

160W FAST CHARGER
FX0411

Charging Current	5A
Input Voltage & Frequency	120V/60Hz
Charger Weight	1.8 lbs

5.0Ah LITHIUM BATTERY
FX0121

Power	960W
Battery Weight	2.1 lbs

24V STACKED LITHIUM
3.5Ah STACKED LITHIUM / 160W FAST CHARGER STARTER KIT
FX0411-1F

24V 3.5Ah STACKED LITHIUM BATTERY 160W FAST CHARGER



The FLEX 24V Stacked Lithium battery platform offers industry-dominating power and performance. Its intelligent power management enables higher discharging, and it combines THERMA-TECH™+ cooling technology with high-performance heat management protection to offer faster charging and a longer battery life to power through the workday. Kit includes a 24V 3.5Ah Stacked Lithium Battery and 160W Fast Charger.

160W FAST CHARGER
FX0411

Charging Current	5A
Input Voltage & Frequency	120V/60Hz
Charger Weight	1.8 lbs

3.5Ah STACKED LITHIUM BATTERY
FX0321

Power	1,200W
Battery Weight	1.5 lbs

24V STACKED LITHIUM
6.0Ah STACKED LITHIUM / 280W RAPID CHARGER STARTER KIT
FX0421-1H

24V 6.0Ah STACKED LITHIUM BATTERY 280W RAPID CHARGER



The FLEX 24V Stacked Lithium Battery platform offers industry-dominating power and performance. Its intelligent power management enables higher discharging, and it combines THERMA-TECH™+ cooling technology with high-performance heat management protection to offer faster charging and a longer battery life to power through the workday. Kit includes a 24V 6.0Ah Stacked Lithium Battery and 280W Rapid Charger.

280W RAPID CHARGER
FX0421

Charging Current	9.4A
Input Voltage & Frequency	120V/60Hz
Charger Weight	2.2 lbs

6.0Ah STACKED LITHIUM BATTERY
FX0331

Power	1,920W
Battery Weight	2.2 lbs

DRILLING, DRIVING & FASTENING



COMPACT

17% MORE COMPACT

22% LIGHTER WEIGHT

Compared to FX1151

2-Speed Gear Adjustment

1/2" Full-Metal Single-Sleeve Keyless Ratcheting Chuck

Integrated LED Light

Sensor-Free Brushless Motor

24V BRUSHLESS
COMPACT
DRILL DRIVER

BIG POWER
COMPACT SIZE

HIGH POWER
650 IN-LBS OF TORQUE

EXCEPTIONAL RUNTIME
UP TO 80 1" BIT HOLES IN 2X4

1/2" FULL METAL
RATCHETING CHUCK

24V BRUSHLESS

1/2" 2-SPEED COMPACT DRILL DRIVER

FX1131-1A

NEW

Power through the day with the FLEX 24V 1/2" 2-Speed Compact Drill Driver, a lightweight and compact cordless drill built to conquer hard-to-reach spaces. This compact drill is 17 percent more compact than its larger counterpart, FX1151, and ideal for reaching up to work between studs. It's also 22 percent lighter weight than FX1151 for less fatigue when working overhead. This high-power compact cordless electric drill delivers 650 inch-pounds of class-leading torque along with exceptional runtime from the included FLEX 24V lithium 2.5Ah battery. The drill is built tough with a durable 1/2-inch full-metal ratcheting chuck. A built-in LED light illuminates dark work areas. This compact power drill delivers the FLEX Advantage of unmatched battery power, runtime, and fast charging.



Integrated LED Light

No-Load Speed

Max. Torque

Clutch Settings

Chuck Capacity

Chuck Type

Tool Length

Tool Weight (without battery)

FX1131-1A

Yes

0-500/0-1,800 RPM

650 in-lbs

18+D

1/2 in

Full-metal single-sleeve keyless ratchet

5.9 in

2.5 lbs

Includes

- 1/2" 2-Speed Compact Drill Driver
- 2.5Ah Lithium Battery
- 160W Fast Charger
- Bit Holder
- Belt Clip
- FLEX Bag



24V BRUSHLESS
DRILL DRIVER

HIGH POWER
750 IN-LBS OF TORQUE

COMPACT SIZE
CONQUER TIGHT SPACES

EXCEPTIONAL RUNTIME
UP TO 80 1" SPADE BIT
HOLES IN 2X4

BRIGHT
LED LIGHT

24V BRUSHLESS
1/2" 2-SPEED DRILL DRIVERS

Conquer demanding drilling applications with power, performance, and versatility. This compact FLEX 24V Brushless 1/2" 2-Speed Drill Driver packs 750 inch-pounds. of torque with exceptional runtime, so you can power through to what's next. Tough construction makes for ultimate durability, keeping you equipped for the long haul. Built-in LED lighting assists in dark spaces. This drill driver also delivers the FLEX Advantage of unmatched battery power, runtime, and faster charging.



	FX1151-Z TOOL ONLY	FX1151-2A
Integrated LED Light	Yes	
No-Load Speed	0-600/0-2,200 RPM	
Max. Torque	750 in-lbs	
Clutch Settings	22+D	
Chuck Capacity	1/2 in	
Chuck Type	Full-metal single-sleeve keyless ratchet	
Tool Length	6.9 in	
Tool Weight (without battery)	3.2 lbs	
Includes	<ul style="list-style-type: none">1/2" 2-Speed Drill DriverBit HolderBelt Clip	<ul style="list-style-type: none">1/2" 2-Speed Drill Driver(2) 2.5Ah Lithium Battery160W Fast ChargerBit HolderBelt ClipFLEX Bag

1/2" Full-Metal Single-Sleeve Keyless Ratcheting Chuck with Carbide Teeth

2-Speed Gear Adjustment

Sensor-Free Brushless Motor

Turbo Button

Integrated LED Light

24V BRUSHLESS
DRILL DRIVER
WITH TURBO MODE

INCREASED SPEED
TURBO MODE

ANTI-KICKBACK
BRAKE TECHNOLOGY

UNRIVALED TORQUE
1,400 IN-LBS

1/2" FULL-METAL
RATCHETING CHUCK

24V BRUSHLESS
1/2" 2-SPEED DRILL DRIVERS WITH TURBO MODE

The FLEX 24V Brushless 1/2" 2-Speed Drill Driver with Turbo Mode dominates drilling applications with 1,400 inch-pounds of industry-leading torque. Durable tool construction further ensures you're equipped for the long haul. Built-in LED lighting adds visibility in dark spaces. Anti-kickback protection detects tool jams, letting you work confidently. This drill driver also delivers the FLEX Advantage of unmatched battery power, runtime, and faster charging.



	FX1171T-Z TOOL ONLY	FX1171T-2B
Integrated LED Light	Yes	
No-Load Speed	0-550/0-2,000 RPM	
TURBO Speed	0-700/0-2,500 RPM	
Max. Torque	1,400 in-lbs	
Clutch Settings	22+D	
Chuck Capacity	1/2 in	
Chuck Type	Full-metal single-sleeve keyless ratchet with carbide teeth	
Tool Length	7 in	
Tool Weight (without battery)	3.7 lbs	
Includes	<ul style="list-style-type: none">• 1/2" 2-Speed Hammer Drill with Turbo Mode• Side Handle• Bit Holder• Belt Clip	<ul style="list-style-type: none">• 1/2" 2-Speed Hammer Drill with Turbo Mode• 2.5Ah Lithium Battery• 5.0Ah Lithium Battery• 160W Fast Charger• Side Handle• Bit Holder• Belt Clip• FLEX Case

COMPACT

9% MORE
COMPACT

19% LIGHTER
WEIGHT

Compared to FX1251

2-Speed Gear Adjustment

1/2" Full-Metal Single-Sleeve
Keyless Ratcheting Chuck

Integrated LED Light

Sensor-Free
Brushless Motor

24V BRUSHLESS
COMPACT
HAMMER
DRILL DRIVER

BIG POWER
COMPACT SIZE

HIGH POWER
650 IN-LBS OF TORQUE

EXCEPTIONAL RUNTIME
UP TO 85 5/16" BIT HOLES
IN CONCRETE

1/2" FULL METAL
RATCHETING CHUCK

24V BRUSHLESS

1/2" 2-SPEED COMPACT HAMMER DRILL

FX1231-1A

The FLEX 24V 1/2" 2-Speed Compact Hammer Drill packs big power into a compact size so you can power through the day with a lightweight, durable tool built to conquer hard-to-reach spaces. This compact cordless hammer drill is 9 percent more compact and 19 percent lighter than its larger counterpart, FX1251, and is ideal for drilling holes into studs and powering through concrete and masonry in hammer mode. Despite its compact design, this concrete drill packs 650 inch-pounds of torque along with exceptional runtime from the included FLEX 24V 2.5Ah lithium battery. This compact hammer drill delivers the FLEX Advantage of unmatched battery power, runtime, and fast charging.

NEW



Integrated LED Light

No-Load Speed

Impact Rate

Max. Torque

Clutch Settings

Chuck Capacity

Chuck Type

Tool Length

Tool Weight (without battery)

Includes

FX1231-1A

Yes

0-500/1,800 RPM

0-8,000/0-28,800 IPM

650 in-lbs

24+D+H

1/2 in

Full-metal single-sleeve keyless ratchet

6.5 in

2.7 lbs

- 1/2" 2-Speed Compact Hammer Drill
- 2.5Ah Lithium Battery
- 160W Fast Charger
- Bit Holder
- Belt Clip
- FLEX Bag

1/2" Full-Metal Single-Sleeve Keyless Ratcheting Chuck

2-Speed Gear Adjustment

Sensor-Free Brushless Motor

Integrated LED Light

24V BRUSHLESS
HAMMER
DRILL DRIVER

HIGH POWER
750 IN-LBS OF TORQUE

COMPACT SIZE
CONQUER TIGHT SPACES

EXCEPTIONAL RUNTIME
UP TO 85 5/16" HOLES
IN CONCRETE

BRIGHT
LED LIGHT

24V BRUSHLESS
1/2" 2-SPEED HAMMER DRILL DRIVERS

Conquer demanding drilling applications with power, performance, and versatility. This compact FLEX 24V Brushless 1/2" 2-Speed Hammer Drill packs 750 inch-pounds of torque and extra impact for powering through masonry. Tough construction makes for ultimate durability, keeping you equipped for the long haul. Built-in LED lighting assists in dark spaces. This hammer drill also delivers the FLEX Advantage of unmatched battery power, runtime, and faster charging.



	FX1251-Z TOOL ONLY	FX1251-2A
Integrated LED Light	Yes	
No-Load Speed	0-600/0-2,200 RPM	
Impact Rate	0-9,600/0-35,200 IPM	
Max. Torque	750 in-lbs	
Clutch Settings	24+D+H	
Chuck Capacity	1/2 in	
Chuck Type	Full-metal single-sleeve keyless ratchet	
Tool Length	7 in	
Tool Weight (without battery)	3.3 lbs	
Includes	<ul style="list-style-type: none">1/2" 2-Speed Hammer DrillBit HolderBelt Clip	<ul style="list-style-type: none">1/2" 2-Speed Hammer Drill(2) 2.5Ah Lithium Battery160W Fast ChargerBit HolderBelt ClipFLEX Bag



24V BRUSHLESS
HAMMER
DRILL DRIVER
WITH TURBO MODE

INCREASED SPEED
TURBO MODE

UNRIVALED TORQUE
1,400 IN-LBS

ANTI-KICKBACK
BRAKE TECHNOLOGY

BRIGHT
LED LIGHT

24V BRUSHLESS
1/2" 2-SPEED HAMMER DRILL DRIVERS
WITH TURBO MODE

The FLEX 24V Brushless 1/2" 2-Speed Hammer Drill with Turbo Mode delivers 1,400 inch-pounds of industry-leading torque. This unrivaled power is matched with tough construction for ultimate durability. Integrated LED lighting keeps you on the mark. The built-in anti-kickback feature lets you work confidently. This drill's exceptional runtime is backed by the FLEX Advantage of unmatched battery power, runtime, and charging speed, making this turbo hammer drill unstoppable.



	FX1271T-Z TOOL ONLY	FX1271T-2B	STACKED LITHIUM FX1271T-1H
Integrated LED Light	Yes		Yes
No-Load Speed	0-550/0-2,000 RPM		0-550/0-2,000 RPM
TURBO Speed	0-700/0-2,500 RPM		0-700/0-2,500 RPM
Impact Rate	0-8,800/0-32,000 IPM		0-8,800/0-32,000 IPM
TURBO Impact Rate	0-11,200/0-40,000 IPM		0-11,200/0-40,000 IPM
Max. Torque	1,400 in-lbs		1,400 in-lbs
Clutch Settings	24+D+H		24+D+H
Chuck Capacity	1/2 in		1/2 in
Chuck Type	Full-metal single-sleeve keyless ratchet with carbide teeth		Full-metal single-sleeve keyless ratchet with carbide teeth
Tool Length	7.2 in		7.2 in
Tool Weight (without battery)	3.8 lbs		3.8 lbs
Includes	<ul style="list-style-type: none">1/2" 2-Speed Hammer Drill with Turbo ModeSide HandleBit HolderBelt Clip	<ul style="list-style-type: none">1/2" 2-Speed Hammer Drill with Turbo Mode2.5Ah Lithium Battery5.0Ah Lithium Battery160W Fast ChargerSide HandleBit HolderBelt ClipFLEX Case	<ul style="list-style-type: none">1/2" 2-Speed Hammer Drill with Turbo Mode6.0Ah Stacked Lithium Battery280W Rapid ChargerSide HandleBit HolderBelt ClipFLEX Case

Ergonomic Top Handle

Rafter Hook

Full-Metal Chuck

Magnesium Gear Box

Integrated LED Light

Chuck Key Storage

24V BRUSHLESS
COMPACT
RIGHT ANGLE
DRILL

BIG POWER
COMPACT SIZE

TURBO MODE
POWER AND SPEED

UNRIVALED TORQUE
1,680 IN-LBS

ANTI-KICKBACK
BRAKE TECHNOLOGY

24V BRUSHLESS
TOOL ONLY

1/2" COMPACT RIGHT ANGLE DRILL

FX1671-Z

NEW

Punch through stud after stud with the FLEX 24V 1/2" Compact Right Angle Drill when running conduit. This compact right angle drill is an ideal tool for electricians and delivers an industry-leading 1,680 inch-pounds of torque. Turbo mode unleashes maximum speed up to 1,650 RPM. Its magnesium gear box delivers maximum durability in a lightweight housing and anti-kickback technology lets you work with confidence. The drill's ergonomic rubber-covered top handle provides comfort when working and a rafter hook offers easy storage when not in use. For maximum power and performance, it's recommended for use with the FX0221 24V 8.0Ah Lithium, FX0231 24V 12.0Ah Lithium, FX0331 6.0Ah Stacked Lithium, or FX0341 10.0Ah Stacked Lithium batteries (batteries sold separately).



Integrated LED Light

No-Load Speed

TURBO Speed

Max. Torque

Gear Box Housing

Chuck Capacity

Chuck Type

Tool Length

Tool Weight (without battery)

Includes

FX1671-Z TOOL ONLY

Yes

1,350 RPM

1,650 RPM

1,680 in-lbs

Magnesium

1/2 in

Key

16.5 in

7.7 lbs

- 1/2" Compact Right Angle Drill
- Chuck Key
- Hook



24V BRUSHLESS
RIGHT ANGLE
DRILL



TURBO MODE
POWER AND SPEED



UNRIVALED TORQUE
2,400 IN-LBS



ANTI-KICKBACK
BRAKE TECHNOLOGY



ERGONOMIC
TOP HANDLE

24V BRUSHLESS
TOOL ONLY

1/2" 2-GEAR RIGHT ANGLE DRILL

FX1681-Z



Punch through stud after stud with the FLEX 24V 2-Gear 1/2" Right Angle Drill when roughing in pipe for plumbing. This 1/2-inch right angle drill is an ideal tool for plumbers and delivers industry-leading 2,400 inch-pounds of torque. Turbo mode unleashes maximum speed up to 1,650 RPM in Gear 2. Its magnesium gear box delivers maximum durability in a lightweight housing and anti-kickback technology lets you work with confidence. The drill's ergonomic rubber-covered top handle provides comfort when working and a rafter hook offers easy storage when not in use. For maximum power and performance, it's recommended for use with the FX0221 24V 8.0Ah Lithium, FX0231 24V 12.0Ah Lithium, FX0331 6.0Ah Stacked Lithium, or FX0341 10.0Ah Stacked Lithium batteries (batteries sold separately).



	FX1681-Z TOOL ONLY
Integrated LED Light	Yes
No-Load Speed	0-400/0-1,350 RPM
TURBO Speed	0-490/1,650 RPM
Max. Torque	2,400 in-lbs
Gear Box Housing	Magnesium
Chuck Capacity	1/2 in
Chuck Type	Key
Tool Length	19.8 in
Tool Weight (without battery)	10.8 lbs
Includes	<ul style="list-style-type: none">• 1/2" Compact Right Angle Drill• Chuck Key• Hook• Side Handle

COMPACT

7% MORE COMPACT

17% LIGHTER WEIGHT

Compared to FX1351

1/4" Hex Collet

Variable-Speed Trigger

Integrated LED Light

Sensor-Free Brushless Motor

24V BRUSHLESS
COMPACT
IMPACT
DRIVER

BIG POWER
COMPACT SIZE

TWO SPEED MODES
CONTROL WHILE FASTENING

EXCEPTIONAL RUNTIME
UP TO 350 3" SCREWS IN 2X4

SELF-TAPPING
SCREW MODE

24V BRUSHLESS

1/4" HEX COMPACT IMPACT DRIVER

FX1331-1A

The FLEX 24V 1/4" Hex Compact Impact Driver packs big power into a compact size so you can power through the day with a lightweight, durable tool built to conquer hard-to-reach spaces. This compact cordless impact driver is 17 percent lighter weight than its larger counterpart, FX1351, and an ideal tool for electricians, HVAC pros, and driving screws for metal framing. It includes two speed modes for more control while fastening screws, and Self-Tapping Screw Mode optimizes this impact driver to avoid over-tightening, breaking, or stripping. This compact 1/4-inch impact driver delivers exceptional runtime with the ability to drive up to 350 3-inch screws into 2x4 lumber with the included FLEX 24V 2.5Ah lithium battery. This compact impact driver delivers the FLEX Advantage of unmatched battery power, runtime, and fast charging.

NEW



	FX1331-1A
Integrated LED Light	Yes
No-Load Speed	0-1,300/3,000 RPM
Impact Rate	0-3,800 IPM
Max. Torque	1,700 in-lbs
Collet	1/4 in Hex
Tool Length	5 in
Tool Weight (without battery)	2 lbs
Includes	<ul style="list-style-type: none">• 1/4" Compact Hex Impact Driver• 2.5Ah Lithium Battery• 160W Fast Charger• Bit Holder• Belt Clip• #2 Phillips Bit + T25 Bit• FLEX Bag



1/4" Hex Collet

Variable-Speed Trigger

Integrated LED Light

Sensor-Free
Brushless Motor

24V BRUSHLESS
IMPACT
DRIVER



HIGH POWER
1,800 IN-LBS OF TORQUE



EXCEPTIONAL RUNTIME
UP TO 160
3" SCREWS IN 2X4



COMPACT SIZE
CONQUER TIGHT
SPACES



BRIGHT
LED LIGHT

24V BRUSHLESS

1/4" HEX IMPACT DRIVERS

Dominate the toughest fastening applications with the unrivaled power and control of FLEX 24V Brushless 1/4" Hex Impact Driver. This impact delivers 1,800 inch-pounds of unrelenting torque, so you can power through lag bolt after lag bolt. Its compact and lightweight design keeps you ready for what's next. Built-in LED lighting keeps you on the mark. Plus, this driver delivers the FLEX Advantage of unmatched battery power, runtime, and charging speed.



	FX1351-Z TOOL ONLY	FX1351-2A
Integrated LED Light	Yes	
No-Load Speed	0-3,400 RPM	
Impact Rate	0-4,000 IPM	
Max. Torque	1,800 in-lbs	
Collet	1/4 in Hex	
Tool Length	5.2 in	
Tool Weight (without battery)	2.4 lbs	
Includes	<ul style="list-style-type: none">• 1/4" Hex Impact Driver• Bit Holder• Belt Clip• #2 Phillips Bit + T25 Bit	<ul style="list-style-type: none">• 1/4" Hex Impact Driver• (2) 2.5Ah Lithium Battery• 160W Fast Charger• Bit Holder• Belt Clip• #2 Phillips Bit + T25 Bit• FLEX Bag



1/4" Hex Quick Eject Collet

Quick Eject Button

Sensor-Free Brushless Motor

Variable-Speed Trigger

3-Speed Mode and Self-Tapping Screw Panel

Integrated LED Light

24V BRUSHLESS
IMPACT DRIVER
WITH QUICK-EJECT

UNRIVALED POWER
2,500 IN-LBS OF TORQUE

MORE CONTROL
3 SPEED MODES

QUICK EJECT
COLLET

SELF-TAPPING
SCREW MODES

24V BRUSHLESS

1/4" QUICK EJECT HEX IMPACT DRIVERS WITH MULTI-MODE

The FLEX 24V Brushless 1/4" Quick Eject Hex Impact Driver with Multi-Mode delivers unrivaled power for the toughest fastening applications. Take control with three speed modes that let you adapt to the application at hand. Work with complete confidence and enhanced capabilities, including self-tapping screw modes that prevent over-tightening and stripping. Switch gears fast with the quick eject collet for easy, one-handed bit changes. Built-in LED lighting keeps you on the mark. All this dependability is built on the FLEX Advantage of unmatched battery power, runtime, and fast-charging speed.



	FX1371A-Z TOOL ONLY	FX1371A-2B	STACKED LITHIUM FX1371A-1H
Integrated LED Light	Yes		Yes
No-Load Speed	0-1,900/2,700/4,000 RPM		0-1,900/2,700/4,000 RPM
Impact Rate	0-4,450 IPM		0-4,450 IPM
Max. Torque	2,500 in-lbs		2,500 in-lbs
Collet	Quick Eject 1/4" Hex		Quick Eject 1/4" Hex
Tool Length	4.7 in		4.7 in
Tool Weight (without battery)	2.7 lbs		2.7 lbs
Includes	<ul style="list-style-type: none">1/4" Quick Eject Hex Impact Driver with Multi-ModeBit HolderBelt Clip#2 Phillips Bit + T25 Bit		<ul style="list-style-type: none">1/4" Quick Eject Hex Impact Driver with Multi-Mode2.5Ah Lithium Battery5.0Ah Lithium Battery160W Fast ChargerBit HolderBelt Clip#2 Phillips Bit + T25 BitFLEX Case



24V BRUSHLESS
MID-TORQUE
IMPACT
WRENCH



NUT-BUSTING
750 FT-LBS OF TORQUE



VIBRATION
SUPPRESSION



2 AUTO CONTROL MODES
BOLT AUTO STOP
AND BOLT REMOVAL



MORE CONTROL
3 SPEED MODES

24V BRUSHLESS
1/2" MID-TORQUE IMPACT WRENCH

NEW

The FLEX 1/2" Mid-Torque Impact Wrench packs big power into a compact design for a lightweight, durable tool built to conquer hard-to-reach spaces. It delivers 600 foot-pounds of fastening torque and 750 foot-pounds of nut-busting torque for demanding jobs. When used for automotive applications, Bolt Auto Stop Mode prevents over-tightening, breaking, or stripping of lug nuts while Bolt Removal Mode stops the tool when it senses the lug nut is loosened. Vibration suppression isolates the 1/2-inch impact wrench and user from vibration for more comfortable extended use, and three speed modes plus a variable speed trigger allow easy control of RPMs to adapt to different materials. This cordless impact wrench dominates with the FLEX Stacked Lithium Advantage: unmatched battery power, runtime, and charging capability.



	FX1451-Z TOOL ONLY	FX1451-1C	STACKED LITHIUM FX1451-1F
Integrated LED Light	Yes		Yes
No-Load Speed	0-450/1,600/2,700 RPM		0-450/1,600/2,700 RPM
Impact Rate	0-3,100 IPM		0-3,100 IPM
Fastening Torque	600 ft-lbs		600 ft-lbs
Nut-Busting Torque	750 ft-lbs		750 ft-lbs
Anvil Size	1/2 in		1/2 in
Tool Length	6.3 in		6.3 in
Tool Weight (without battery)	4.2 lbs		4.2 lbs
Includes	<ul style="list-style-type: none">1/2" Mid-Torque Impact Wrench		<ul style="list-style-type: none">1/2" Mid-Torque Impact Wrench5.0Ah Lithium Battery160W Fast ChargerBelt ClipFLEX Case



24V BRUSHLESS
HIGH-TORQUE
IMPACT
WRENCH



NUT-BUSTING
1,150 FT-LBS OF TORQUE



EFFICIENT
BOLT REMOVAL MODE




MORE CONTROL
3 SPEED MODES

24V BRUSHLESS
1/2" HIGH TORQUE IMPACT WRENCH

When jobs demand nut-busting power, the FLEX 24V Brushless High Torque Impact Wrench delivers 1,150 foot-pounds of unrelenting torque. Take control with three adaptable speed modes and do it comfortably with vibration suppression. Activate Removal Mode for extra control to extract lug nuts quickly, safely, and efficiently. Built-in LED lighting illuminates your work area. This impact wrench dominates with the FLEX Advantage: unmatched battery power, runtime, and fast-charging speed to keep you going.



	STACKED LITHIUM	
	FX1471-Z TOOL ONLY	FX1471-1H
Integrated LED Light	Yes	Yes
No-Load Speed	0-500/1,000/2,000 RPM	0-500/1,000/2,000 RPM
Impact Rate	0-2,450 IPM	0-2,450 IPM
Fastening Torque	800 ft-lbs	800 ft-lbs
Nut-Busting Torque	1,150 ft-lbs	1,150 ft-lbs
Anvil Size	1/2 in	1/2 in
Tool Length	8.7 in	8.7 in
Tool Weight (without battery)	6.9 lbs	6.9 lbs
Includes	<ul style="list-style-type: none">1/2" High Torque Impact Wrench	<ul style="list-style-type: none">1/2" High Torque Impact Wrench5.0Ah Lithium Battery160W Fast ChargerFLEX Case



24V BRUSHLESS
ROTARY HAMMERS

Model shown is FX1531. Some features may vary between models.



EXCEPTIONAL
RUNTIME



VIBRATION
SUPPRESSION HANDLE
FX1551-Z ONLY



INTERCHANGEABLE 1/2"
FULL METAL CHUCK
FX1551-Z ONLY



FUNCTION
SWITCH

24V BRUSHLESS
ROTARY HAMMERS

FLEX 24V Brushless SDS Plus Rotary Hammers are built for performance. Drill confidently with constant speed control, built-in LED lighting and vibration suppression. Adapt to every task with four modes under your command, including drilling, hammer drilling, chiseling, and chisel adjustment. FX1551-Z makes sure you're always ready to adapt to changing job demands using the included 1/2" interchangeable keyless chuck. All this, built with the FLEX Advantage of unmatched FLEX 24V battery power, runtime, and fast charging.

1" SDS PLUS ROTARY HAMMER (FX1551A)



Vibration
Suppression
Handle

7/8" SDS PLUS ROTARY HAMMER (FX1531)



ATTACHMENT

DUST EXTRACTION
ATTACHMENT
FT151

Drilling Diameter: Up to 2-5/8 in
Attachment Weight: 0.7 lbs
ITEM SOLD SEPARATELY



	FX1531-Z TOOL ONLY	FX1531-1C	FX1551A-Z TOOL ONLY
Integrated LED Light	Yes		Yes
No-Load Speed	0-1,400 RPM		0-980 RPM
Blows/Min	0-4,500 BPM		0-4,350 IPM
Max Drilling Diameter	7/8 in (Concrete); 1/2 in (Steel); 1-1/8 in (Wood)		1 in (Concrete); 1/2 in (Steel); 1-3/16 in (Wood)
Max. Impact Energy	1.3 ft-lbs		1.9 ft-lbs
Tool Weight (without battery)	4.6 lbs		7 lbs
Includes	<ul style="list-style-type: none">• 7/8" SDS Plus Rotary Hammer• Depth Guide• Side Handle	<ul style="list-style-type: none">• 7/8" SDS Plus Rotary Hammer• 5.0Ah Lithium Battery• 160W Fast Charger• Depth Guide• Side Handle• FLEX Case	<ul style="list-style-type: none">• 1" SDS Plus Rotary Hammer• Depth Guide• Side Handle• Detachable 1/2" Full Metal Chuck

CUTTING



COMPACT

27% MORE COMPACT

43% LIGHTER WEIGHT

Compared to FX2351-Z

Ergonomic Top Handle

Variable Speed Trigger

Tool-Free Blade Change

Rafter Hook

Sensor-Free Brushless Motor

Integrated LED Light

Guide Adjustment

24V BRUSHLESS
COMPACT BAND SAW



COMPACT
LIGHTWEIGHT



HIGH POWER
FAST CUTTING SPEEDS



VARIABLE SPEED
TRIGGER
MULTIPLE SPEED OPTIONS



QUICK-RELEASE
BLADE COVER
COVERS AND PROTECTS

24V BRUSHLESS
TOOL ONLY

2-1/2" COMPACT BAND SAW

FX2331-Z

NEW

Power through conduit, rod, pipes, and strut with the FLEX 24V 2-1/2" Compact Band Saw. This powerful compact band saw is 27 percent more compact and 43 percent lighter than its larger 5-inch deep cut counterpart, making it an ideal lightweight portable band saw for plumbers and electricians needing to cut material in place while up on a ladder. Its powerful brushless motor delivers fast cutting speeds for clean, burr-free cuts and its variable speed trigger provides better control when cutting through different materials. A quick-release tool-free blade cover protects the active cutting area for added safety during use, and an LED light illuminates dark work areas. A rafter hook allows quick and easy storage from ladders, struts, and FLEX STACK PACK rack rails between cuts. This cordless band saw delivers the FLEX Advantage of unmatched battery power, runtime, and fast charging (battery and charger sold separately).



Integrated LED Light

Cutting Capacity

Blade Length

No-Load Speed

Tool Length

Tool Weight (without battery)

FX2331-Z TOOL ONLY

Yes

2-1/2 in x 2-1/2 in

32-7/8 in

0-590 SFPM

15.1 in

7.1 lbs

Includes

- 2-1/2" Compact Band Saw
- Hex Key
- 32-7/8" x 1/2" x 0.02" 14/18 TPI Band Saw Blade



24V BRUSHLESS
**DEEP-CUT
BAND SAW**



24V BRUSHLESS
TOOL ONLY
5" DEEP CUT BAND SAW
FX2351-Z


Power through large PVC pipe, angle iron, and up to 4-inch black iron pipe with the FLEX 24V 5" Deep Cut Band Saw. This powerful cordless band saw features a high-power brushless motor that provides fast cutting speeds along with a lightweight magnesium housing for maximum durability. Its tool-free quick adjustment shoe allows fast adjustments for flush cuts and a speed dial with variable speed trigger provides multiple speed options at your fingertips. An LED light illuminates dark work areas, and a rafter hook allows quick and easy storage from ladders, struts, and FLEX STACK PACK rack rails between cuts. This portable band saw delivers the FLEX Advantage of unmatched battery power, runtime, and fast charging (battery and charger sold separately).



	FX2351-Z TOOL ONLY
Integrated LED Light	Yes
Cutting Capacity	5 in x 5 in
Blade Length	44-7/8 in
No-Load Speed	0-490 SFPM
Tool Length	20.8 in
Tool Weight (without battery)	12.4 lbs

Includes

- 5" Deep Cut Band Saw
- 44-7/8" x 1/2" x 0.02" 10/14 TPI Band Saw Blade



24V BRUSHLESS
6 1/2" CIRCULAR
SAWS




WORLD'S FIRST
IN-LINE CIRCULAR SAW



EXCEPTIONAL RUNTIME
UP TO 430 CUTS*
*WITH A 5.0 Ah LITHIUM BATTERY



CUTS 3X
IN ONE PASS



BRIGHT
LED LIGHT

24V BRUSHLESS
6 1/2" IN-LINE CIRCULAR SAWS

First of its kind, this in-line saw design provides total balance and improved visibility with a clear view on both sides of every cut. The FLEX 24V Brushless 6-1/2" In-Line Circular Saw rips through 3X in one pass. The built-in LED illuminates the workpiece for superior precision and accuracy. This advanced saw also features the FLEX Advantage: unmatched FLEX 24V battery power, extended runtime, and fast charging.

WORLD'S FIRST
IN-LINE
CIRCULAR SAW

ATTACHMENT

RIP FENCE
FT211

Bar Width: 5/8 in
Bar Thickness: 5/32 in
Attachment Length: 11-13/16 in
Attachment Width: 3-7/8 in
Attachment Weight: 0.5 lbs

ITEM SOLD SEPARATELY



	FX2131A-Z TOOL ONLY	FX2131A-1C
Integrated LED Light		Yes
Saw Blade		6-1/2 in
No-Load Speed		5,500 RPM
Bevel Capacity		0-47°
Arbor		5/8 in
Cut Capacity at 90°		2-9/16 in
Cut Capacity at 45°		1-9/16 in
Tool Weight (without battery)		7.1 lbs

Includes

- 6-1/2" In-Line Circular Saw
- 6-1/2" 24T FLEX Blade
- Hook Cover
- Blade Wrench

- 6-1/2" In-Line Circular Saw
- 5.0Ah Lithium Battery
- 160W Fast Charger
- 6-1/2" 24T FLEX Blade
- Hook Cover
- Blade Wrench
- FLEX Bag

Lock-Off Button

Hook

Sensor-Free
Brushless Motor

Vacuum Hose
Adapter

Magnesium Footplate
and Guards

Bevel-Preset
Knob

24V BRUSHLESS
7 1/4" CIRCULAR
SAWS

FASTER CUTTING
PERFORMANCE
5,800 RPM

CUTS 3X
IN ONE PASS

LIGHTWEIGHT
MAGNESIUM COMPONENTS

BRIGHT
LED LIGHT

24V BRUSHLESS
7 1/4" CIRCULAR SAWS

Rip through 2x4s with the FLEX 24V Brushless 7-1/4" Circular Saw. This lightweight and durable beast is built for advanced cutting performance and ultimate cutting capacity (up to 2-5/8 inches). A built-in LED light illuminates workpiece providing superior precision and accurate cuts. This saw's powerful motor is maximized by the FLEX Advantage: unmatched 24V battery power, runtime, and fast charging speed.

ATTACHMENT


RIP FENCE
FT211

Bar Width: 5/8 in
Bar Thickness: 5/32 in
Attachment Length: 11-13/16 in
Attachment Width: 3-7/8 in
Attachment Weight: 0.5 lbs

ITEM SOLD SEPARATELY



	STACKED LITHIUM	
	FX2141-Z TOOL ONLY	FX2141-1J
Integrated LED Light	Yes	Yes
Saw Blade	7-1/4 in	7-1/4 in
No-Load Speed	5,800 RPM	5,800 RPM
Bevel Capacity	0-56°	0-56°
Arbor	5/8 in	5/8 in
Cut Capacity at 90°	2-5/8 in	2-5/8 in
Cut Capacity at 45°	1-7/8 in	1-7/8 in
Tool Weight (without battery)	9 lbs	9 lbs
Includes	<ul style="list-style-type: none">7-1/4" Circular Saw7-1/4" 24T FLEX BladeVacuum Adapter & Lower Guard LeverBlade WrenchFLEX Bag	<ul style="list-style-type: none">7-1/4" Circular Saw8.0Ah Lithium Battery160W Fast Charger7-1/4" 24T FLEX BladeVacuum Adapter & Lower Guard LeverBlade WrenchFLEX Bag



24V BRUSHLESS
REAR HANDLE
CIRCULAR SAWS

**MOST POWERFUL
CORDLESS REAR
HANDLE SAW**
UP TO 2500W OF POWER

EXCEPTIONAL RUNTIME
UP TO 720 CUTS IN 2X4*
*WITH A 10.0Ah STACKED LITHIUM BATTERY

**ULTIMATE
PERFORMANCE**
6,200 RPM

**CUTS 3X
IN ONE PASS**

24V BRUSHLESS
7-1/4" REAR HANDLE CIRCULAR SAWS

Rip through miles of 2x4s with the FLEX 24V Brushless 7-1/4" Rear Handle Circular Saw. Both lightweight and durable, this precision cutting tool is a control freak, positioning the blade to the left of the motor and placing the handle at the rear to optimize line of sight. Built for advanced cutting performance and ultimate cutting capacity (up to 2-5/8 inches). Built-in LED light illuminates workpiece providing superior precision and accurate cuts. This saw's powerful motor is maximized by the FLEX Stacked Lithium Advantage: unmatched 24V battery power, runtime, and fast charging speed.

ATTACHMENT

RIP FENCE
FT211

Bar Width: 5/8 in
Bar Thickness: 5/32 in
Attachment Length: 11-13/16 in
Attachment Width: 3-7/8 in
Attachment Weight: 0.5 lbs

ITEM SOLD SEPARATELY



Integrated LED Light

Saw Blade

No-Load Speed

Bevel Capacity

Arbor

Cut Capacity at 90°

Cut Capacity at 45°

Tool Weight (without battery)

FX2141R-Z TOOL ONLY

Yes

7-1/4 in

6,200 RPM

0-56°

5/8 in

2-5/8 in

1-7/8 in

10 lbs

Includes

- 7-1/4" Rear Handle Circular Saw
- 7-1/4" 24T FLEX Blade
- Blade Wrench
- FLEX Bag

STACKED LITHIUM

FX2141R-1J

Yes

7-1/4 in

6,200 RPM

0-56°

5/8 in

2-5/8 in

1-7/8 in

10 lbs

- 7-1/4" Rear Handle Circular Saw
- 10.0Ah Stacked Lithium Battery
- 280W Rapid Charger
- 7-1/4" 24T FLEX Blade
- Blade Wrench
- FLEX Bag

24V BRUSHLESS
RECIPROCATING
SAWS

QUICK KEYLESS
BLADE EJECT

CUTS MORE
PER CHARGE
UP TO 50 4X4'S*

*WITH A 5.0Ah LITHIUM BATTERY

40% LESS
VIBRATION SUPPRESSION

ORBITAL ACTION
FASTER CUTTING SPEED



24V BRUSHLESS
RECIPROCATING SAWS

No demo is too tough for the FLEX 24V Brushless Reciprocating Saw. This saw features fast, orbital cutting action and delivers more cuts per charge. Vibration suppression reduces fatigue. Switch blades on-the-fly with quick and easy keyless blade eject. Built-in LED lighting illuminates your site.



	FX2271-Z TOOL ONLY	FX2271-1C
Integrated LED Light	Yes	
Stroke	1-1/4 in	
No-Load Speed	0-3,000 RPM	
Tool Weight (without battery)	7.3 lbs	
Includes	<ul style="list-style-type: none">• Reciprocating Saw• 9" 6 TPI Nail-Embedded Wood Demolition Blade• 6" 8/11 TPI Thick Metal Demolition Blade• FLEX Bag	<ul style="list-style-type: none">• Reciprocating Saw• 5.0Ah Lithium Battery• 160W Fast Charger• 9" 6TPI Nail-Embedded Wood Demolition Blade• 6" 8/11TPI Thick Metal Demolition Blade• FLEX Bag



24V BRUSHLESS
ONE-HANDED
RECIPROCATING
SAWS



COMPACT SIZE
ONE-HANDED USE

EFFICIENT CUTTING
1-INCH STROKE

COUNTERBALANCED
GEARBOX
REDUCES VIBRATION

QUICK KEYLESS
BLADE EJECT

24V BRUSHLESS
ONE-HANDED RECIPROCATING SAWS

With the FLEX 24V One-Handed Reciprocating Saw, one hand is all you need to cut to the quick on lumber, copper pipe, or whatever else the job throws at you. It's precision-weighted to give effortless control, while offering fast, orbital cutting action that delivers more cuts per charge. Vibration suppression reduces fatigue. Switch blades on-the-fly with quick and easy keyless blade eject. Built-in LED lighting illuminates your workpiece. All this comes with the FLEX Advantage of unmatched 24V battery power, runtime, and faster charging.



	FX2241-Z TOOL ONLY	FX2241-1A
Integrated LED Light		Yes
Stroke		1 in
No-Load Speed		0-3,000 RPM
Tool Weight (without battery)		4.2 lbs
Includes	<ul style="list-style-type: none">One-Handed Reciprocating Saw9" 6 TPI Nail-Embedded Wood Demolition BladeFLEX Bag	<ul style="list-style-type: none">One-Handed Reciprocating Saw2.5Ah Lithium Battery160W Fast Charger9" 6 TPI Nail-Embedded Wood Demolition BladeFLEX Bag



24V BRUSHLESS
OSCILLATING
MULTI-TOOL

FAST CUTTING
20,000 OPM

KEYLESS
BLADE EJECT

MAXIMUM POWER
3D STARLOCK CONNECTION


VIBRATION
SUPPRESSION

24V BRUSHLESS
OSCILLATING MULTI-TOOL

The FLEX 24V Brushless Oscillating Multi-Tool channels up to 20,000 OPM to cut, trim, plunge, sand, grind, and scrape with confidence. Maintain control with advanced vibration suppression. The 3D Starlock connection maximizes the exchange between motor and blade for ultimate oscillating efficiency while making blade changes super easy. Built-in LED lighting also ensures complete visibility while you work, even in tough conditions.



	FX4111-Z TOOL ONLY	FX4111-1A
Integrated LED Light	Yes	
No-Load Speed	10,000-20,000 OPM	
Oscillating Angle Left/Right	4° (+/- 2°)	
Accessory System	Starlock Max	
Blade Compatibility	Starlock, Starlock Plus, Starlock Max	
Number of Speed Settings	5	
Tool Weight (without battery)	2.8 lbs	
Includes	<ul style="list-style-type: none">• Oscillating Multi-Tool• Depth Guide• 1-1/4" Bi-Metal Plunge Cut Starlock Blade• 1-1/4" High Carbon Steel Plunge Cut Starlock Blade• FLEX Bag	<ul style="list-style-type: none">• Oscillating Multi-Tool• 2.5Ah Lithium Battery• 160W Fast Charger• Depth Guide• 1-1/4" Bi-Metal Plunge Cut Starlock Blade• 1-1/4" High Carbon Steel Plunge Cut Starlock Blade• FLEX Bag



24V BRUSHLESS
JIG SAWS



ONE-TOUCH
BLADE EJECT

CONTROLLED CUTS
FOUR SPEEDS WITH AUTO



MAXIMUM
CUT ACCURACY
BLADE HOLDER



ACCESSIBLE
LED LIGHT

24V BRUSHLESS
JIGSAWS

Cut with ultimate precision and control with the FLEX 24V Brushless D-Handle and Barrel Grip Jigsaws. These versatile jigsaws features four adaptable speeds and auto mode. A dual-guide blade holder improves accuracy and an LED light ensures confidence in every cut. Switch blades quickly and easily using the one-touch blade eject system.

ATTACHMENT

RIP FENCE
FT221

Bar Width: 3/8 in
Bar Thickness: 3/32 in
Attachment Length: 9-1/2 in
Attachment Width: 3-25/32 in
Attachment Weight: 0.2 lbs

ITEM SOLD SEPARATELY



BARREL GRIP JIGSAW (FX2221)



D-HANDLE JIGSAW (FX2231)



	BARREL GRIP - FX2221-Z TOOL ONLY	D-HANDLE - FX2231-Z TOOL ONLY
Integrated LED Light	Yes	
Stroke Length	1 in	1 in
No-Load Speed	800-3,500 SPM	0-3,500 SPM
Orbital Settings	3	3
Speed Settings	4+A	4+A
Tool Weight (without battery)	4.9 lbs	5.1 lbs

Includes

- Barrel Grip Jigsaw
- Hex Key
- Base Plate Cover
- Chip Guard
- Anti-Splinter Insert
- Dust Port
- 3-1/4" 20 TPI T-Shank FLEX Blade
- 4" 5~6 Progressive TPI T-Shank FLEX Blade

- D-Handle Jigsaw
- Hex Key
- Base Plate Cover
- Chip Guard
- Anti-Splinter Insert
- Dust Port
- 3-1/4" 20 TPI T-Shank FLEX Blade
- 4" 5~6 Progressive TPI T-Shank FLEX Blade

SURFACING

24V BRUSHLESS

RANDOM ORBITAL SANDER

Easy-Access On/Off Button

Speed Buttons with Turbo Mode

Dust Collection

Hook and Loop Attachment

TURBO MODE
13,000 OPM

EXCEPTIONAL RUNTIME
UP TO 30 MINUTES*

DURABLE CONSTRUCTION
DUST & WATER RESISTANT

LOW VIBRATION

*ON SPEED 3 WITH 3.5AH STACKED LITHIUM BATTERY



24V BRUSHLESS
TOOL ONLY

5" RANDOM ORBITAL SANDER

FX3411-Z

From reconditioning rusted metal work to refinishing tables and chairs, the FLEX 24V 5" Random Orbital Sander delivers class-leading speed along with exceptional runtime for heavy-duty sanding applications. Activate turbo mode to unleash a class-leading 13,000 OPMs for fast and aggressive material removal. This sander delivers exceptional runtime, with up to 30 minutes of continuous runtime on Speed 3, based on a 3.5Ah Stacked Lithium battery (sold separately). Its low-profile design provides easy maneuverability and ultimate control, and durable construction including a dust and water-resistant switch delivers extended tool life. This cordless sander delivers the FLEX Stacked Lithium Advantage: unmatched battery power, runtime, and charging capability (battery and charger sold separately).



FX3411-Z TOOL ONLY	
No-Load Speed	6,000 - 13,000 OPM
Pad Size	5 in
Sanding Orbit Diameter	0.10 in
Speed Settings with Turbo Mode	4
Dust Port Diameter	1-1/4 in
Tool Dimensions	5.1 in x 6.6 in x 4.6 in
Tool Weight (without battery)	2.42 lbs
Includes	<ul style="list-style-type: none">• 5" Random Orbital Sander• Dust Bag• 4 pcs Sandpaper: (1) 80 Grit, (1) 120 Grit, (1) 160 Grit, (1) 220 Grit



24V BRUSHLESS
TOOL ONLY
DIE GRINDER
FX3211-Z

Grind metals and welds in tight spaces where angle grinders can't go with the FLEX 24V Die Grinder. This powerful die grinder delivers up to 28,000 RPMs complete with adjustable speeds to match the application at hand for optimal precision. It's built with a slim ergonomic design for comfort that lasts for hours. A spindle lock makes for easy accessory changes. Carve wood, marble, and granite, or de-burr metal with ease using the FLEX 24V Die Grinder. This cordless die grinder delivers the FLEX Advantage of unmatched battery power, runtime, and fast charging (batteries and chargers sold separately).



24V BRUSHLESS
DIE GRINDER




UNMATCHED POWER
28,000 RPM



ANTI-KICKBACK
BRAKE TECHNOLOGY



TOUCH CONTROL
OPTIMAL PRECISION



SPINDLE LOCK
EASY ACCESSORY CHANGES

	FX3211-Z TOOL ONLY
No-Load Speed	10,000/16,000/22,000/28,000 RPM
Collet Size	1/4 in
Switch Type	Slide Switch, Lock-On
Tool Length	15.75 in
Tool Weight (without battery)	3.3 lbs
Includes	<ul style="list-style-type: none">Die GrinderWrench



24V BRUSHLESS
FIXED SPEED
ANGLE GRINDERS

Model shown is FX3171. Some features may vary between models.



UNMATCHED POWER
UP TO 10,000 RPM



ONE-STEP
GUARD ADJUSTMENT



ANTI-KICKBACK
BRAKE TECHNOLOGY



VIBRATION
SUPPRESSION HANDLE

24V BRUSHLESS
FIXED SPEED ANGLE GRINDERS

FLEX 24V Brushless 5" Fixed Speed Angle Grinders deliver next-level advantages to the jobsite. Unleash up to 10,000 RPM of unmatched power but also work with confidence. Key features include anti-kickback protection, vibration suppression, and one-step guard adjustment. This angle grinder's ergonomic design and exceptional runtime keep you going and going.

PADDLE SWITCH ANGLE GRINDER (FX3171)



SIDE SWITCH ANGLE GRINDER (FX3181)




ATTACHMENTS

CUTTING GUARD
FT311

Diameter: 4-1/2 in & 5 in
Attachment Weight: 0.6 lbs

ITEM SOLD SEPARATELY



DUST SHROUD
FT312

Diameter: 4-1/2 in & 5 in
Attachment Weight: 0.4 lbs

ITEM SOLD SEPARATELY



	FX3171-Z TOOL ONLY	FX3181-Z TOOL ONLY
Integrated LED Light	Yes	Yes
No-Load Speed	10,000 RPM	10,000 RPM
Wheel Diameter	4-1/2 - 5 in	4-1/2 - 5 in
Switch Type	Paddle Switch, No Lock	Side Switch with Lock
Speed Settings	1	1
Arbor Size	5/8 in	5/8 in
Tool Weight (without battery)	4.2 lbs	4.2 lbs
Includes	<ul style="list-style-type: none">• 5" Fixed Speed Angle Grinder with Paddle Switch• Grinding Guard• (2) Flanges• Wrench• Anti-Vibration Handle	<ul style="list-style-type: none">• 5" Fixed Speed Angle Grinder with Side Switch• Grinding Guard• (2) Flanges• Wrench• Anti-Vibration Handle

Speed Selection Button

Spindle Lock

Filter Cover

Sliding Side Switch

One-Step Guard Adjustment

Vibration Suppression Handle

24V BRUSHLESS

VARIABLE SPEED

ANGLE GRINDERS

Model shown is FX3181. Some features may vary between models.

UNMATCHED POWER

UP TO 10,000 RPM

TOUCH CONTROL

ADJUSTABLE SPEEDS

ANTI-KICKBACK

BRAKE TECHNOLOGY

VIBRATION

SUPPRESSION HANDLE

24V BRUSHLESS
VARIABLE SPEED ANGLE GRINDERS

The FLEX 24V Brushless 5" Variable Speed Angle Grinders deliver next-level advantages to the jobsite. Unleash up to 10,000 RPM of unmatched power but also work with confidence. Key safety features include soft start, restart protection, overload protection, anti-kickback protection, and brake. The vibration suppression, adjustable touch controls, and one-step guard adjustment provide improved ergonomics while the exceptional runtime keeps you going and going.

PADDLE SWITCH ANGLE GRINDER (FX3171A)

SIDE SWITCH ANGLE GRINDER (FX3181A)

ATTACHMENTS

CUTTING GUARD
FT311

Diameter: 4-1/2 in & 5 in
Attachment Weight: 0.6 lbs

ITEM SOLD SEPARATELY

DUST SHROUD
FT312

Diameter: 4-1/2 in & 5 in
Attachment Weight: 0.4 lbs

ITEM SOLD SEPARATELY


	FX3171A-Z TOOL ONLY	FX3171A-1C	FX3181A-Z TOOL ONLY
Integrated LED Light	Yes		Yes
No-Load Speed	3,500/5,000/7,000/10,000 RPM		3,500/5,000/7,000/10,000 RPM
Wheel Diameter	4-1/2 - 5 in		4-1/2 - 5 in
Switch Type	Paddle Switch, No Lock		Side Switch with Lock
Speed Settings	4		4
Arbor Size	5/8 in		5/8 in
Tool Weight (without battery)	4.2 lbs		4.2 lbs
Includes	<ul style="list-style-type: none">• 5" Variable Speed Angle Grinder with Paddle Switch• Grinding Guard• (2) Flanges• Wrench• Anti-Vibration Handle		<ul style="list-style-type: none">• 5" Variable Speed Angle Grinder with Side Switch• Grinding Guard• (2) Flanges• Wrench• Anti-Vibration Handle

FLEXPOWERTOOLS.COM | 69

SPECIALTY



24V BRUSHLESS
TRIM ROUTER



SPINDLE STOP™
FAST BIT CHANGES



1.5 MAX HP
BRUSHLESS MOTOR



ACCURATE DEPTH
ADJUSTMENT
RELIABLE TO 1/64"



QUICK ADJUST
EDGE GUIDE



24V BRUSHLESS
TRIM ROUTER

Finish furniture and cabinetry or cut door and window holes from plywood and OSB with the FLEX 24V Trim Router. This 24V trim router tool features a patent-pending Spindle Stop™ shaft lock system for fast, easy bit changes and added safety by preventing accidental startups. Its powerful 1.5 max horsepower brushless motor delivers constant speed under the toughest conditions, and its variable speed dial offers six settings from 16,000 to 31,000 RPM. Quick-release collars deliver easy and reliable depth adjustment accurate to 1/64 inch.

ATTACHMENT

PLUNGE BASE
FT421

ITEM SOLD SEPARATELY



Integrated LED Light

Yes

Horsepower

1.5 MAX

No-Load Speed

16,000 - 31,000 RPM

Speed Settings

6

Collet Size

1/4 in

Depth Range - Fixed

2 in

Min. Depth Adjustment - Fixed

1/64 in

Base Opening Size

1-1/2 in

Tool Dimensions (without battery)

4.8 in x 4 in x 7.4 in

Tool Weight (without battery)

3.5 lbs

Includes

- Trim Router
- (2) Wrenches
- Edge Guide
- Dust Shroud
- Round Subbase
- Centering Cone

STACKED LITHIUM

FX4221-1F

Yes

1.5 MAX

16,000 - 31,000 RPM

6

1/4 in

2 in

1/64 in

1-1/2 in

4.8 in x 4 in x 7.4 in

3.5 lbs

- Trim Router
- 3.5Ah Stacked Lithium Battery
- 160W Fast Charger
- (2) Wrenches
- Edge Guide
- Dust Shroud
- Round Subbase
- Centering Cone
- FLEX Bag



24V BRUSHLESS
DRYWALL SCREW GUN



DRYWALL SCREW GUN (FX1611-2AA)



24V BRUSHLESS
DRYWALL SCREW GUN

Hang sheet after sheet with ease with the FLEX 24V Drywall Screw Gun. This lightweight screw gun arms you with ultimate in speed and efficiency with maximum control. Lock-on mode delivers continuous power to secure drywall panels. Setup is easy with tool-free adjustments. The bright, built-in LED light illuminates dark spaces. This cordless drywall screw gun is compatible with the FLEX Magazine Attachment (FT161, sold separately or included in FX1611-Z) for increased productivity with collated screws. All this performance is built on the FLEX Advantage of unmatched battery power, runtime, and fast charging.



DRYWALL SCREW GUN WITH
MAGAZINE ATTACHMENT (FX1611)

ATTACHMENT

COLLATED MAGAZINE
FT161

Magazine Length: 8-5/16 in
Collated Screw Length: 1-2 in
Collated Screw Size: #6, #7, and #8
Max. Screw Per Strip: 50 pcs
Attachment Weight: 0.7 lbs



ITEM SOLD SEPARATELY



Includes FT161 Collated
Magazine Attachment

	FX1611-Z TOOL ONLY	FX1611-2AA
Bit Type	1/4 in Hex	
No-Load Speed	0-4,500 RPM	
Tool Weight (without battery)	2.5 lbs	
Includes	<ul style="list-style-type: none">• Drywall Screw Gun• Magazine Attachment For Collated Screws• Belt Clip• Bit Holder• Magazine Bit Holder• Long PR2 Bit• Short PH2 Bit	<ul style="list-style-type: none">• Drywall Screw Gun• Belt Clip• Magnetic Bit Holder• Short PH2 Bit• (2) 2.5Ah Lithium-Ion Batteries• 160W Rapid Charger• FLEX Bag

Wrench Storage

Top Blowing Vent

LED Light

Collet Nut

Included Bit

Depth Guide

Spindle Lock Button

Depth Adjustment Thumb Screw

Side Blowing Vent

On/Off Switch

24V BRUSHLESS

DRYWALL CUTOUT TOOL

FLEXIBLE DUST CONTROL

EXCEPTIONAL RUNTIME

UP TO 150 OUTLET BOXES PER CHARGE

*WITH A 2.5Ah LITHIUM BATTERY (SOLD SEPARATELY)

ONBOARD WRENCH STORAGE

24V BRUSHLESS

DRYWALL CUT OUT TOOL

The FLEX 24V Brushless Drywall Cut Out Tool powers through the entire day with its exceptional runtime—up to 150 outlet boxes per charge. Adjustable airflow directs the dust away from the work in the direction desired. Built-in LED lighting illuminates your work area in dark conditions. This cut out tool also delivers the FLEX Advantage of unmatched FLEX 24V battery power, runtime, and fast charging to keep you going.



	FX2471-Z TOOL ONLY	FX2471-2A
No-Load Speed	28,000 RPM	
Collet Diameter	1/4 in and 1/8 in	
Tool Length	9 in	
Tool Weight (without battery)	1.9 lbs	
Includes	<ul style="list-style-type: none">• Drywall Cut Out Tool• Belt Clip• Wrench• (2) Collets (1/8 in and 1/4 in)• (2) 1/8 in Drywall Bits	<ul style="list-style-type: none">• Drywall Cut Out Tool• (2) 2.5Ah Lithium-Ion Battery• 160W Fast Charger• Belt Clip• Wrench• (2) Collets (1/8"(3mm) & 1/4"(6mm))• (2) 1/8" (3mm) Drywall Bits• FLEX Bag



24V BRUSHLESS
MUD MIXER

MIX CONTROL
3 SPEED MODES

SUPERIOR CONTROL
DUAL HANDLE DESIGN

TWO MECHANICAL
GEAR SPEEDS

24V BRUSHLESS
TOOL ONLY
MUD MIXER
FX6151-Z

The FLEX Mud Mixer delivers the power, comfort, and control to prep any material for the job. The ergonomic dual-handle design enhances your stability and control. Two mechanical gear speeds help you power through even the toughest mixes with ease. Additionally, three electronic speed modes help you dial in the speed for total control of every mix. Fits all common paddles using this mixer's secure, 1/2-inch keyed chuck. And maximize your FLEX Advantage with FLEX battery cross-compatibility to deliver the same unrivaled power, runtime, and fast charging speed as your other FLEX power tools.



FX6151-Z TOOL ONLY	
Tool Capacity	1/2 in Chuck
No-Load Speed - 1st Gear	0-210/325/530 RPM
No-Load Speed - 2nd Gear	0-320/490/780 RPM
Tool Weight (without battery)	9.5 lbs

- Includes
- Mud Mixer
 - Chuck Key
 - Key Holder

SYSTEM SUPPORT



180° Pivot Point

270° Swivel Point

Angled Light Panels

Rafter Hook

Magnets

24V
INSPECTION LIGHT

ANGLED LIGHT PANELS
OPTIMIZED FOR INCREASED VISIBILITY

MULTIDIRECTIONAL
180° PIVOT + 270° SWIVEL

VERSATILE MOUNTING
SLIDING HOOK, BELT CLIP, & MAGNET

ADJUSTABLE BRIGHTNESS
THREE SETTINGS


NEW

TOOL ONLY

INSPECTION LIGHT

FX5121-Z

Light up your workspace with the versatile FLEX 24V Inspection Light. This innovative inspection light features angled light panels optimized for lighting large areas and surfaces like a flood light. It also features a 180-degree pivot and 270-degree swivel for multidirectional lighting. Adjustable brightness across three settings of 200, 500, or 1,000 lumens allow you to light for the task at hand, and a sliding hook, belt clip, and magnet provide versatile mounting options. This inspection light delivers the FLEX Advantage of unmatched battery power, runtime, and fast charging (batteries and chargers sold separately).



Lumens

Runtime

Rotation

Mounting

Tool Dimensions

Tool Weight (without battery)

Includes

FX5121-Z TOOL ONLY

1,000/500/200 lm

Up to 10 hours on high mode with a 5.0 Ah battery

180° Pivot + 270° Swivel

Hook/Belt Clip/Magnet

8.25 in x 5.75 in x 3.09 in

1.37 lbs

- Inspection Light
- Belt Clip



24V
FLOOD
LIGHT



JOBSITE VISIBILITY
UP TO 2,000 LUMENS



ADJUSTABLE
360° LIGHT



STRONG
ALUMINUM FRAME



ADAPTABLE
MOUNTS

TOOL ONLY

FLOOD LIGHT

FX5131-Z

The FLEX 24V Flood Light delivers ultimate visibility with essential jobsite durability. Control up to 2,000 Lumens where you need light most with 360° adjustability and adaptable mounts. A strong, aluminum frame provides the strength to withstand even the toughest worksite conditions. And, to top it all off, this flood light is built around the same FLEX Advantage as all other FLEX power tools for ultimate cross-compatibility—ensuring unmatched battery power, runtime, and fast charging across your whole tool set.



	FX5131-Z TOOL ONLY
Max. Lumens	2,000 lm
Runtime	Up to 5 hours on high mode with a 5.0 Ah battery
Rotation	360°
Mounting	Stand-Alone, Tripod, or Hanging
Tool Weight (without battery)	5.6 lbs
Includes	• Flood Light



TOOL ONLY

WORK LIGHT

FX5111-Z

Light up your work area with the FLEX LED Work Light for ultimate jobsite visibility. This ultra-bright LED work light packs up to 300 lumens into a compact design to illuminate tight spaces, and its adjustable head rotates 104° for precision lighting where you need it. Enjoy hands-free flexibility with the work light's belt clip and hanging hook so you can keep your focus on the task at hand to power through the workday.



FX5111-Z TOOL ONLY	
Max. Lumens	300/150 lm
Runtime	Up to 10.5 hours on high mode with a 2.5 Ah battery
Rotation	104°
Mounting	Stand-Alone, Belt Clip, or Hanging
Includes	<ul style="list-style-type: none">• LED Work Light• Belt Clip

24V
MODULAR DUAL
POWER LED
TOWER LIGHT

ULTIMATE VISIBILITY
UP TO 4,000 LUMENS

VERSATILE MOUNTING
TRIPOD, RAFTERS, OR DETACH
FOR PORTABLE USE

DUAL POWER
POWERED BY FLEX 24V
BATTERY*OR EXTENSION
CORD

*BATTERY AND EXTENSION CORD SOLD SEPARATELY

ULTRA-FAST SETUP
7 FT. QUICK EXTENSION



TOOL ONLY
MODULAR DUAL POWER LED TOWER LIGHT
FX5141-Z

The FLEX 24V Modular Dual Power LED Light takes lighting the jobsite to a whole new level. Control up to 4,000 Lumens where you need light most with 360° adjustability and a three-panel light head. A strong, aluminum frame and tripod means it can withstand whatever the workday throws at it. Remove the light from the tripod for portable use. Plus, the tripod has a standard 1/4-inch screw mount, so it's compatible with your camera and laser level. It even has a USB-C port so you can keep your devices charged while you work. Includes FLEX Advantage for ultimate cross-compatibility—ensuring unmatched battery power, runtime, and fast charging (battery sold separately).



FX5141-Z TOOL ONLY	
Max. Lumens	4,000 lm
Runtime	Up to 2.5 hours on high mode with a 5.0 Ah battery
Rotation	270° for main hinge, 180° for the first pole, 210° for side panels
Alternate Mounting Method	Stand-Alone or Hanging
Dual Power	24V Battery/120VAC when used with extension cord
USB Output	Type-C
IP Rating	IP54
Tool Weight (without battery)	18 lbs
Includes	• Modular Dual Power LED Tower Light



JOBSITE RADIO



TOOL ONLY

JOBSITE RADIO

FX5351-Z

The FLEX Jobsite Radio is built to deliver excellent sound quality both indoors and out. Blast music or AM/FM radio with powerful dual speakers and bass boost to keep your sound loud and clear. Added Bluetooth™ connectivity provides custom streamability while you work, receiving signals up to 150 feet. This radio is jobsite-ready with a reinforced roll cage to protect it from sudden impacts. Its IP64-rated protection eliminates threats like dust and moisture. All this, powered by the same FLEX Advantage as FLEX power tools—providing unmatched battery power, runtime, and fast charging speed. (Battery sold separately.)



	FX5351-Z
Bluetooth Version	5.0
Bluetooth Distance	Up to 150 ft
IP (Ingress Protection) Rating	IP64
AM/FM Digital Tuner	Yes
Tool Length	7.2 in, 182 mm
Tool Weight (without battery)	7.7 lbs, 3.5 kg
Includes	<ul style="list-style-type: none">Jobsite Radio3.5mm AUX cord120V AC Adapter



**24V BRUSHLESS
WET/DRY
VACUUM**



**ATTACHMENT
ORGANIZATION
ONBOARD STORAGE**



**DOMINATES WET & DRY
41 CFM & 42 IN. LIFT**



**EXTENDED RUNTIME
ECO & BOOST MODES**



**REVERSE FLOW
FUNCTION
KEEPS FILTER CLEAR**

24V BRUSHLESS
TOOL ONLY

1.6 GALLON WET/DRY VACUUM
FX5221-Z

The FLEX 1.6 Gallon Wet/Dry Vacuum dominates spills, dust, and debris with powerful suction. Optimize your runtime and performance to meet job demands with enhanced Eco and Boost modes. Reduced performance is a thing of the past with instant flow reversal, which keeps the filter clear and suction maxed. Onboard storage keeps attachments ready. This jobsite vacuum is also powered by the same superior FLEX Advantage as other FLEX power tools, meaning unmatched 24V battery power, runtime, and fast charging speed.

ATTACHMENT


FLEECE DUST BAGS
FT522



	FX5221-Z TOOL ONLY
Dry Capacity	1.6 gal
Wet Capacity	0.8 gal
Max . Air Flow	41 CFM
Water Lift	42 in
Nozzle Diameter	1-3/8 in
Tool Weight (without battery)	7.3 lbs

Includes

- 1.6 Gallon Wet/Dry Vacuum
- 8" x 1-3/8" Flexible Hose
- 1-3/8" to 1-1/4" Hose Adapter
- Round Brush
- Utility Nozzle
- Crevice Tool
- Washable HEPA Filter
- Carrying Strap



24V BRUSHLESS
JOBSITE BLOWER



TURBO
FUNCTION
POWER THROUGH
DEBRIS



POWERFUL AIRFLOW
UP TO 115 CFM & 185 MPH



COMPACT SIZE
CONQUERS TIGHT
PLACES




VARIABLE
SPEED DIAL

24V BRUSHLESS
TOOL ONLY
JOBSITE BLOWER
FX5441-Z

Dirt and dust have nowhere to hide with the FLEX Jobsite Blower. Featuring a brushless motor, a turbine fan, variable speed settings, and good balance in a lightweight build, this tool delivers a knockout blow to those troublesome hard-to-reach areas. Built for moderate duty at an unbeatable price, it delivers very focused airflow so you can stay clean and in control. Includes FLEX Advantage for ultimate cross-compatibility—ensuring unmatched battery power, runtime, and fast charging.



FX5441-Z TOOL ONLY	
Max. Air Volume	115 CFM
Max. Air Speed	185 MPH
Runtime	Up to 10 min on turbo mode with a 2.5Ah battery; Up to 14 min on high speed with a 2.5Ah battery
Tool Weight (without battery)	2.8 lbs
Includes	<ul style="list-style-type: none">Jobsite BlowerExtension TubeInflate/Deflate Adapter



24V BRUSHLESS
JOBSITE FAN



POWERFUL
AIRFLOW
UP TO 1,100 CFM
& 19 MPH

FLEX STACK PACK
COMPATIBILITY

LONG RUNTIME
UP TO 46 HOURS*

DUAL POWER
POWERED BY FLEX 24V
BATTERY*OR INCLUDED
3.3' EXTENSION CORD

*ON LOW WITH A 5.0Ah BATTERY. (SOLD SEPARATELY)

*BATTERY SOLD SEPARATELY

24V BRUSHLESS
TOOL ONLY
JOBSITE FAN
FX5471-Z

The 24V Jobsite Fan provides up to 46 hours of portable air flow on a single charge with a 5.0Ah lithium battery on low (sold separately). Dust and fumes don't stand a chance against the force of 1100 CFM. Ideal for improved circulation in close quarters, freshly painted areas, and any place you need to clear the air. Designed to seamlessly attach to the FLEX Stack Pack storage case for optimized organization and accessibility. Variable speed settings and 180-degree pivoting rotation put you in control, and its innovative STACK PACK connection means it won't tip over.



FX5471-Z TOOL ONLY	
Max. Air Volume	1,100 CFM
Max. Air Speed	19 MPH
Pivoting Angle	180°
Dual Power	24V FLEX Battery/120V AC when used with power cord
USB Output	Type-C
Runtime	Up to 4 hours with a 5.0Ah Lithium battery at max speed
Fan Blade Size	8-1/2 in
Alternate Mounting Method	Carrying Handle, Hanging Hook, Key Holes, Tripod Mount (1/4" & 5/8" bolt), or Rebar Holes
Tool Weight (without battery)	6.6 lbs
Includes	<ul style="list-style-type: none">Jobsite Fan3.3 ft AC Extension Cord

STORAGE & ORGANIZATION



SHOP

TRANSIT

JOBSITE

FLEX STACK PACK™

SMARTER STORAGE.
UNRIVALED ORGANIZATION.




NOTHING ELSE STACKS UP TO FLEX STACK PACK

The FLEX STACK PACK™ interlocking case system delivers next-level storage solutions that make it easy to organize, transport, and access everything you need on the job.

Pack your tools, accessories, and supplies in a variety of toolboxes, organizers, and bit cases in endlessly customizable configurations thanks to the quick-connect latches of the STACK PACK™ storage system. Accessorize your setup with customizable STACK PACK™ attachments like front and side rack rails, level holders, cord wrappers, and more.

Easily move between the shop, trailer, and jobsite with convenient mounting brackets, wall-mount rails, and folding rack shelves with simple, tool-free transitions between setups.

With smarter storage and unrivaled organization, nothing else stacks up to FLEX STACK PACK™



FLEXPOWERTOOLS.COM/STACKPACK

CUSTOMIZE YOUR

FLEX STACK PACK™

STACK PACK BUILDER FEATURES:

- PRODUCT HIGHLIGHTS
- AUGMENTED REALITY VISUALIZATION
- MIX & MATCH YOUR CONFIGURATION

[FLEXPOWERTOOLS.COM/STACKPACK](https://flexpowertools.com/stackpack)

**1 YEAR
WARRANTY**
STACK PACK™

1-YEAR LIMITED WARRANTY WITH REGISTRATION


FLEX North America warrants its STACK PACK Storage System for a period of one year from the date of original purchase. The one year limited warranty covers hard and soft storage and does not apply to system attachments and power tool accessories. Register your new products on registermyFLEX.com

FLEX IT'S
WHAT'S
NEXT

[FLEXPOWERTOOLS.COM/WARRANTY](https://flexpowertools.com/warranty)



SCAN TO BUILD



FLEX STACK PACK™

SMARTER STORAGE.
UNRIVALED ORGANIZATION.



QUICK-CONNECT
LATCHES



9" RUGGED
RUBBER WHEELS



ACCESSORY-READY




COMPATIBLE
ATTACHMENTS



IMPACT
PROTECTION




ALL-WEATHER
PROTECTION



HEAVY LOAD
CAPACITY



VERSATILE
MOUNTING



Wall-mount accessories sold separately



FLEX
STACK
PACK™

Dust/Water
Resistant Seal

Removable Rear
Handle

Quick-Connect
Latches

Attachment-
Ready
Aluminum
Reinforced
Corners

2-Piece Metal Latch Lock

Impact Resistant Body

Metal Grab
Handle

9" Rugged
Rubber Wheels

3-PIECE
STORAGE

QUICK-CONNECT
LATCHES
CONNECT TO ANY
COMPATIBLE PRODUCT

9" RUGGED
RUBBER WHEELS
FOR TOUGH TERRAIN

REMOVABLE HANDLE
FOR EASY TRANSPORT

ENDLESS
CASE CONFIGURATIONS

3 PC. STORAGE
SYSTEM SET

FSM1101-3

FLEX
STACK
PACK™

Pack everything you need for a day on the job with the FLEX STACK PACK 3-PC. Storage System. Quick-connect interlocking attachment points offer fast and effortless connectivity to customize your layout with any piece in the STACK PACK storage system. IP65 all-weather protection shields your tools and accessories from the elements, and an impact-resistant polypropylene body with aluminum reinforced corners offers protection from the toughest jobsite conditions. Complete with the STACK PACK Rolling Tool Box, Medium Tool Box, and Suitcase Tool Box, you'll have enough storage to bring the workshop with you to and from the jobsite.



Quick-Connect Latches

Attachment-Ready

Wheels

Weight Capacity (All 3 cases combined)

IP Rating

Outside Dimensions

Inside Dimensions

Includes

FSM1101-3

Yes

Yes

9" Rugged Rubber

250 lbs (Rolling), 500 lbs (Stationary)

IP65

22.05" W x 35.12" H x 19.21" D (Handle Fully Extended)

FS1101 19.72" W x 14.68" H x 14.06" D

FS1102 19.72" W x 8.66" H x 13.43" D

FS1103 19.72" W x 5.55" H x 13.43" D

- Rolling Tool Box
- Medium Tool Box
- Suitcase Tool Box
- Removable Rear Handle
- (2) Removable Accessory Trays
- (2) Organizer Cases with Lids
- (2) Organizer Cases

FLEX
STACK
PACK™

Battery Holder
and Batteries
(Sold Separately)

Two-Piece Metal
Latch Locks



Dust/Water
Resistant Seal

Quick-Connect
Bit Case and
Hand Tool Pouch,
Multi-Layout
Connection
Points
(Only available on
FS1101 and FS1102)

Gas Struts
(Only available on
FS1101 and FS1102)

Removable
Accessory Tray

Attachment-
Ready
Aluminum
Reinforced
Corners

Model shown is FS1102. Some
features may vary between models.

TOOL BOXES



QUICK-CONNECT
LATCHES
CONNECT TO ANY
COMPATIBLE PRODUCT



9" RUGGED
RUBBER WHEELS
FOR TOUGH TERRAIN
*AVAILABLE ON FS1101 ONLY



REMOVABLE HANDLE
FOR EASY TRANSPORT
*AVAILABLE ON FS1101 ONLY




ENDLESS
CASE CONFIGURATIONS

TOOL BOXES

FLEX
STACK
PACK™

FLEX STACK PACK tool boxes are endlessly customizable storage solutions to pack everything you need for a day on the job. IP65 all-weather protection shields your tools and accessories from the elements, and an impact-resistant polypropylene body with aluminum reinforced corners offers protection from the toughest jobsite conditions. Quick-connect interlocking attachment points offer fast and effortless connectivity with any piece in the STACK PACK storage system so you can custom build your layout for the ultimate traveling workshop.

Removable rear handle
fully detaches for storage
in a covered truck bed
and tight spaces



SUITCASE TOOL BOX (FS1103)



MEDIUM TOOL BOX (FS1102)



ROLLING TOOL BOX (FS1101)

	FS1101	FS1102	FS1103
Quick-Connect Latches	Yes	Yes	Yes
Attachment-Ready	Yes	Yes	Yes
Wheels	9" Rugged Rubber	No	No
Weight Capacity	250 lbs	140 lbs	110 lbs
IP Rating	IP65	IP65	IP65
Outside Dimensions	22.05" W x 42.1" H x 19.21" D (Handle Fully Extended) 22.05" W x 26.3" H x 19.21" D (Handle Closed) 22.05" W x 20.28" H x 19.21" D (Handle Removed)	22.05" W x 11.73" H x 15.71" D	22.05" W x 7.95" H x 15.71" D
Inside Dimensions	19.72" W x 14.68" H x 14.06" D	19.72" W x 8.66" H x 13.43" D	19.72" W x 5.55" H x 13.43" D
Includes	• Rolling Tool Box • Removable Rear Handle • Removable Accessory Tray	• Medium Tool Box • Removable Accessory Tray	• Suitcase Tool Box • (2) Organizer Cases with Lids • (2) Organizer Cases

FLEX
STACK
PACK™

70 lb Weight
Capacity

Auto-Locking
Drawers

Removable
Dividers

Quick-Connect Latches

Onboard
Security Bar
Storage

Durable
Stainless
Steel Rails

Attachment-
Ready
Aluminum
Reinforced
Corners

Model shown is FS1105. Some
features may vary between models.

DRAWERS



QUICK-CONNECT
LATCHES
CONNECT TO ANY
COMPATIBLE PRODUCT



AUTO-LOCKING
DRAWERS
PREVENTS OPENING
DURING TRANSPORT



ONBOARD
SECURITY BAR
PREVENTS THEFT



REMOVABLE
DRAWER DIVIDERS

DRAWERS

FLEX
STACK
PACK™

NEW

Keep your trailer, garage, or workshop organized with the FLEX STACK PACK 2-Drawer Tool Box and 3-Drawer Tool Box. The toolboxes feature auto-locking mechanisms that securely close and prevent drawers and doors from opening during transport while durable rust-resistant rails ensure the drawers open and close smoothly over a long life. The drawers come with removable dividers so you can organize a variety of hardware or supplies while the cabinet features a large interior space ideal for large tools like rear-handled circular saws. Quick-connect latches offer fast and effortless connectivity so you can quickly stack and unstack toolboxes for a fully customized STACK PACK configuration. An onboard security bar allows you to lock the drawers to prevent theft and stows between use.



	FS1105	FS1106
Quick-Connect Latches	Yes	Yes
Attachment-Ready	Yes	Yes
Auto-Locking Drawer	Yes	Yes
Weight Capacity	70 lbs	70 lbs
Drawers	3	2
Outside Dimensions	22.05" W x 15.12" H x 16.3" D	22.05" W x 15.12" H x 16.3" D
Inside Dimensions	16.81" W x 3.62" H x 11.69" D	TOP: 16.81" W x 3.62" H x 11.69" D BOTTOM: 16.81" W x 7.99" H x 11.69" D
Includes	<ul style="list-style-type: none">3-Drawer Tool BoxOnboard Security Bar6 pc, Long Dividers18 pc, Short Dividers	<ul style="list-style-type: none">2-Drawer Tool BoxOnboard Security Bar2 pc, Long Dividers6 pc, Short Dividers

FLEX
STACK
PACK™

70 lb Weight
Capacity

Auto-Locking
Drawers



CABINET



QUICK-CONNECT
LATCHES
CONNECT TO ANY
COMPATIBLE PRODUCT



AUTO-LOCKING
DOOR
PREVENTS OPENING
DURING TRANSPORT



ONBOARD
SECURITY BAR
PREVENTS THEFT



ENLARGED
OPENING

CABINET
FS1107

FLEX
STACK
PACK™

NEW

Keep your trailer, garage, or workshop organized with the FLEX STACK PACK Cabinet. The cabinet features an auto-locking mechanism that securely closes and prevents door from opening during transport. Quick-connect latches offer fast and effortless connectivity so you can quickly stack and unstack toolboxes for a fully customized STACK PACK configuration. An onboard security bar allows you to lock the cabinet door to prevent theft and stows between use.



	FS1107
Quick-Connect Latches	Yes
Attachment-Ready	Yes
Auto-Locking Door	Yes
Weight Capacity	70 lbs
Drawers	N/A
Outside Dimensions	22.05" W x 15.12" H x 16.3" D
Inside Dimensions	18.07" W x 12.64" H x 11.77" D
Includes	<ul style="list-style-type: none">CabinetOnboard Security Bar

FLEX
STACK
PACK™

70 lb Weight Capacity



CRATE



CRATE
FS1104

FLEX
STACK
PACK™

NEW

Keep your trailer, garage, or workshop organized and your tools within reach with the FLEX STACK PACK Crate. Quick-connect latches offer fast and effortless connectivity so you can quickly stack and unstack additional crates or toolboxes for a fully customized STACK PACK configuration. The crate is compatible with STACK PACK attachments and accessories for even further customization. Non-marring rubber feet protect surfaces from scrapes and scratches. The crate is built with an impact-resistant polypropylene body and aluminum-reinforced corners to withstand the toughest jobsite conditions.



	FS1104
Quick-Connect Latches	Yes
Attachment-Ready	Yes
Weight Capacity	70 lbs
Outside Dimensions	21.89" W x 10.28" H x 15.35" D
Inside Dimensions	19.72" W x 9.45" H x 13.23" D
Includes	• Crate

FLEX
STACK
PACK™

Replaceable
Plywood Top

50 lb Weight
Capacity

Folding
Storage Hooks
(On Bottom)

Onboard
Hand Tools
Rack

Integrated
Storage Bins

Attachment-Ready
Aluminum Reinforced
Corners

WORKTOP

QUICK-CONNECT
CONNECT TO ANY
COMPATIBLE PRODUCT

3/4 IN REPLACEABLE
PLYWOOD TOP

FOLDING STORAGE HOOKS
SECURE FOR EASY TRANSPORT

WORKTOP
FS1401

FLEX
STACK
PACK™

NEW

Turn your STACK PACK setup into a mobile work surface with the FLEX STACK PACK Worktop. The worktop features a 3/4-inch replaceable plywood top that is durable and easily transportable, ready to take on the jobsite. Quick-connect latches offer fast and effortless interlocking connectivity with STACK PACK toolboxes and the Folding Rack Shelf (FS1502) for a customized work surface setup. The worktop features recessed storage bins and onboard hand tool racks integrated into its design for easy access to bits, screws, fasteners, and hand tools when you're on the job. It's also compatible with STACK PACK attachments and accessories to further customize your setup. Folding storage hooks provide secure storage and easy transport when hung from STACK PACK rack rails.



Quick-Connect Compatible

Attachment-Ready

Material

Mounting

Outside Dimensions

Includes

FS1401

Yes

Yes

Replaceable 3/4" Plywood

Foldable Hanging/Storage Hooks

21.81" W x 2.13" H x 15.75" D

- Worktop
- 3/4" Plywood Top

FLEX
STACK
PACK™

Foldable Hanging/
Storage Hooks

Quick-Connect Latches

Side Grab
Handles

360° 4" Locking
Caster Wheels

360° 4" Caster Wheels

Tether Points

250 lb Weight
Capacity

DOLLY

QUICK-CONNECT
LATCHES
CONNECT TO ANY
COMPATIBLE PRODUCT

360° 4" CASTERS
WITH FOOT BRAKE

250 LB
LOAD CAPACITY

FOLDABLE
HANGING/STORAGE
HOOKS

DOLLY
FS1701

FLEX
STACK
PACK™

NEW

Roll your STACK PACK setup to, from, and around your garage, workshop, or jobsite with the FLEX STACK PACK Storage Dolly. Built with a 250-pound load capacity for tools, materials, and accessories, the dolly features 360-degree 4-inch casters designed to smoothly glide while being tough enough to handle jobsites. Quick-connect latches deliver fast and effortless interlocking connectivity so you can quickly stack and unstack toolboxes, while foot brakes lock your stacked load in place. Tether points secure cargo for transport or long-term storage. A folding storage hook allows the dolly to hang from STACK PACK Rack Rail attachments (FS1603 and FS1604-2, sold separately) when not in use, and side grab handles allow for easy maneuverability.



Quick-Connect Latches

Attachment-Ready

Mounting

Weight Capacity

Outside Dimensions

Includes

FS1701

Yes

No

Foldable Hanging/Storage Hooks

250 lbs

23.27" W x 7.68" H x 16.18" D

- Dolly
- (2) 1 x 4 in Caster Wheels
- (2) 1 x 4 in Caster Wheels with Foot Brake

FLEX
STACK
PACK™



Clear,
See-Through
Cover

Customizable
and Removable
Accessory Trays
and Dividers

Attachment-Ready
Aluminum Reinforced
Corners

Two-Piece Metal
Latch Locks

Model shown is FS1301. Some
features may vary between models.

TOOL
ORGANIZERS

QUICK-CONNECT
LATCHES
CONNECT TO ANY
COMPATIBLE PRODUCT

SECURE LID
PREVENTS BIN CONTENTS
FROM MIXING

ADDITIONAL
STORAGE
ACCESSORY TRAYS
OR DIVIDERS

VERSATILE
MOUNTING
NEST OR ATTACH

ORGANIZERS


FLEX
STACK
PACK™

Organize and easily access the bolts, screws, and supplies you need for a day on the job with the FLEX STACK PACK Organizer Box, Medium Organizer Box, and Deep Organizer Box. Find the pieces you need quickly with clear, see-through covers, then snap the lids securely back into place with two-piece durable locks. IP65 all-weather protection shields your tools and accessories from the elements, and an impact-resistant polypropylene body with aluminum reinforced corners offers protection from the toughest jobsite conditions. Quick-connect interlocking attachment points offer fast and effortless connectivity with any piece in the STACK PACK storage system so you can custom build your layout for the ultimate traveling workshop.

ORGANIZER
(FS1301)



DEEP
ORGANIZER
(FS1303)



MEDIUM
ORGANIZER
(FS1302)



Deeper pockets with removable
dividers for bigger items such
as PVC elbows

	FS1301	FS1302	NEW FS1303
Quick-Connect Latches	Yes	Yes	Yes
Attachment-Ready	Yes	Yes	Yes
Outside Dimensions	21.93" W x 5.71" H x 15.67" D	14.88" W x 5.71" H x 10.83" D	22.05" W x 7.95" H x 15.63" D
Inside Dimensions	17.68" W x 3.82" H x 13.35" D	13.58" W x 3.82" H x 8.7" D	19.8" W x 5.59" H x 12.87" D
Weight Capacity	50 lbs	25 lbs	60 lbs
IP Rating	IP65	IP65	IP65
Includes	<ul style="list-style-type: none">Organizer Box(8) Removable Organizer Trays with Dividers	<ul style="list-style-type: none">Medium Organizer Box(4) Removable Organizer Trays with Dividers	<ul style="list-style-type: none">Deep Organizer Box(6) Removable Dividers

FLEX
STACK
PACK™



16" SOFT TOTE



QUICK-CONNECT
CONNECT TO ANY
COMPATIBLE PRODUCT



EASY-ACCESS
PIVOTING HANDLE



44 POCKETS & SLOTS
WITH REMOVABLE DIVIDERS

16" SOFT TOTE
FS1201

FLEX
STACK
PACK™



Pack and organize the tools you'll need for a day on the job with the FLEX STACK PACK 16" Tote. The tote features 44 pockets and slots plus a large removable divider for a fully customizable layout, and its overmold handle pivots so you can quickly access your tools and accessories while you work. The tote is made from ultra-durable 1680D high-density ballistic polyester to stand up to everyday wear and tear. A padded shoulder strap is included for carrying the tote to, from, and around the jobsite, and a back pad provides additional support. Quick-connect interlocking attachment points offer fast and effortless connectivity with other toolboxes in the STACK PACK storage system for a fully customized layout.



	FS1201
Quick-Connect Compatible	Yes
Attachment-Ready	No
Pockets	44
Material	1680D
Accessories	Tape Measuer Clip, Level Strap, Tape Strap
Weight Capacity	70 lbs
Outside Dimensions (with handle up)	15.67" W x 10.55" H x 15.35" D
Includes	<ul style="list-style-type: none">• Soft Tote• Removable Divider• Padded Shoulder Strap

FLEX
STACK
PACK™

Slide Lock Points
(Located on Back)

1680D High-Density
Ballistic Polyester

Velcro Closure

Dual-Layer Design
with 6 Pockets

Hanging
Hook and
Steel Clip
(On Back)

**HAND TOOL
POUCH**

**SLIDE LOCK POINTS
CONNECTS UNDER
TOOL BOX LID**

**1680D
HIGH-DENSITY BALLISTIC
POLYESTER MATERIAL**

**HANGING HOOK
AND STEEL HOOK**

HAND TOOL POUCH

FS1202

FLEX
STACK
PACK™

NEW

Keep your hand tools within reach on the job and securely store them when you're between tasks with the FLEX STACK PACK Hand Tool Pouch. The pouch is made of ultra-durable 1680D high-density ballistic polyester to resist wear and tear for a long life. Its dual-layer design features six pockets for easy hand tool organization and storage. A hanging hook and steel clip allows the pouch to hang from belts or STACK PACK rack rail attachments, while slide lock points deliver fast and effortless interlocking connectivity with STACK PACK items like underneath the lid of a toolbox.



Attachment-Ready

Pockets

Material

Mounting

Outside Dimensions

Includes

FS1202

No

6

1680D

Hanging Hook, Steel Clip, Slide lock points


10.63" H x 8.07" W x 2.36" D

• Hand Tool Pouch

FLEX
**STACK
PACK**
ZERO-CLEARANCE™



RACK SHELF



**ZERO-CLEARANCE™
DESIGN**
FOLDS FLAT & FLUSH



VERSATILE MOUNTING
**MOUNTS ON VEHICLE AND
GARAGE WALLS**



**70 LBS
LOAD CAPACITY**

RACK SHELF

FS1502




Organize your garage, trailer, or workshop with wall-mounted folding storage solutions in the STACK PACK Folding Rack Shelf. The rack shelf features a zero-clearance design that folds flat and closes flush to save space. Its 16-on-center design mounts on walls with standard 16-inch stud spacing without the guesswork. The shelf has a 70-pound load capacity for tools, materials, and accessories. An integrated side rack bar allows you to hang power tools and other items from the sides of your rack shelf for additional storage or easy access when needed. Quick-connect latches offer fast and effortless interlocking connectivity so you can securely mount and quickly disconnect STACK PACK toolboxes from the shelf.




	FS1502
Quick-Connect Latches	Yes
Attachment-Ready	No
Side Rack Bar	Yes
Mounting	Designed for 16" on center stud spacing
Load Capacity	70 lbs
Outside Dimensions	23.07" W x 7.44" H x 14.25" D
Includes	<ul style="list-style-type: none">• Rack Shelf• (2) Fold Flat Brackets• Fasteners



WALL-MOUNTING



TOOL-FREE MOUNTING
TRANSITION FROM STACK PACK
SETUP TO WALL IN SECONDS



16" ON CENTER
SECURES TO STANDARD
WALL STUD SPACING



HEAVY-DUTY
ALL METAL CONSTRUCTION




WALL-MOUNTS



Mount your STACK PACK storage items to the wall in your trailer, garage, or workshop with the STACK PACK Box Mount Kit, 10-Piece, which includes two Wall-Mount Rails and four pairs of Mounting Brackets. Featuring a 16-on-center design to mount on walls with standard 16-inch spacing without the guesswork, the wall-mount rail allows you to easily transition your STACK PACK setup from transport mode to its place on the wall in seconds without tools. The mounting brackets are built for durability and stability, featuring a heavy-duty all-metal connection with a 70-pound load capacity. The mounting brackets support mounting to STACK PACK Rolling Tool Box Mounts and the included Wall-Mount Rails for easy transitions between setups without tools. Both the Wall-Mount Rails and Mounting Brackets are compatible with a wide range of STACK PACK items.

WALL-MOUNT SYSTEM (FSM1501-10)



WALL-MOUNT RAILS (FS1503-2)



MOUNTING BRACKETS (FS1505-4)



	FSM1501-10	FS1503-2	FS1505-4
Attachment-Ready	Yes	Yes	Yes
Weight Capacity	300 lbs per pair of Wall-Mounts; 70 lbs per (4) mounting brackets	300 lbs per pair of Wall-Mounts	70 lbs per (4) mounting brackets
Includes	<ul style="list-style-type: none"> • (2) Wall-Mount Rails • (8) Mounting Brackets • Fasteners 	<ul style="list-style-type: none"> • (2) Wall-Mount Rails 	<ul style="list-style-type: none"> • (4) Mounting Brackets • Fasteners

FLEX STACK PACK™

Front Tool
Rack Rail

Storage Cord
Wrapper

Level Holder

Battery
Holder
(Batteries sold
separately)

Side Tool
Rack Rail

ATTACHMENTS

CUSTOMIZABLE
INTERIOR AND EXTERIOR
STORAGE

VERSATILE MOUNTING
MOUNTS TO VARIETY OF
STACK PACK BOXES

ATTACHMENT-READY
FOR EASY INSTALLATION

ATTACHMENTS


Add even more versatility to your FLEX Stack PACK storage solutions with STACK PACK attachments. Securely hang power tools from your tool boxes for easy access on the job with the Front and Side Tool Rack Rails. Easily secure and transport power cords and long items with the Storage Cord Wrapper and Level Holder, and bring plenty of power to the jobsite with the FLEX STACK PACK Battery Holder and Adjustable Charger Mount, 2-Pack. Easily transition from your jobsite setup to the walls of your trailer, garage, or workshop with FLEX STACK PACK Rolling Tool Box Mounts and Mounting Brackets.

BATTERY HOLDER FS1601



- **VERSATILE MOUNTING**
Securely mounts batteries inside STACK PACK tool boxes, on outer rack attachments, or on the wall
- **STORE UP TO THREE BATTERIES**
Compatible with all FLEX 24V batteries only

SIDE TOOL RACK RAILS, 2-PACK FS1604-2



- **MAXIMUM TOOL ACCESSIBILITY**
Constructed from durable steel with a slip-resistant design to securely hang tools or batteries for easy access on the jobsite
- **MAGNETIC**

ROLLING TOOL BOX MOUNT FS1504



- **QUICK TRANSITIONS**
Easily transition mounting setups to Rolling Tool Box
- **HEAVY-DUTY ALL-METAL CONNECTION**
70 lb. load capacity, built for durability and stability
- **ACCESSORY-READY**
Compatible with the STACK PACK Cord Wrapper (FS1605) and Level Holder (FS1602) for added versatility

LEVEL HOLDER FS1602



- **EASILY TRANSPORT LONG ITEMS**
Secure and transport long items like levels and conduit benders

STORAGE CORD WRAPPER FS1605



- **ULTIMATE ORGANIZATION**
Add-on attachment keeps cords organized for storage and transport

NEW


MOUNTING BRACKETS, 4-PACK FS1505-4



- **TOOL-FREE BOX MOUNTING**
Transition from wall to Rolling Tool Box setup in seconds
- **HEAVY-DUTY ALL-METAL CONNECTION**
70 lb. load capacity per pair of mounting brackets


NEW

FRONT TOOL RACK RAIL FS1603



- **MAXIMUM ACCESSIBILITY**
Hang power tools from the front of your storage tool boxes for easy access on the job
- **DURABLE CONSTRUCTION**
Made from durable steel with a slip-resistant design to securely hang tools or batteries
- **MAGNETIC**

ADJUSTABLE CHARGER MOUNT, 2-PACK FS1606-2



- **VERSATILE MOUNTING**
Flexible mounting plate stores chargers in the tool box or on the wall in the workshop; its adjustable design adapts to fit a variety of FLEX chargers

COMBO KITS



24V BRUSHLESS

HAMMER DRILL, IMPACT DRIVER, 7¼" CIRCULAR SAW, OSCILLATING MULTI-TOOL, RECIPROCATING SAW, AND WORK LIGHT

FXM601-2B



½" 2-SPEED HAMMER DRILL

FX1251

Integrated LED Light	Yes
No-Load Speed	0-600/0-2,200 RPM
Impact Rate	0-9,600/0-35,200 IPM
Peak Torque	750 in-lbs
Clutch Settings	24+D+H
Chuck Capacity	1/2 in
Chuck Type	Metal single-sleeve keyless ratchet
Tool Length	7 in
Tool Weight (without battery)	3.3 lbs

¼" HEX IMPACT DRIVER

FX1351

Integrated LED Light	Yes
No-Load Speed	0-3,400 RPM
Impact Rate	0-4,000 IPM
Max. Torque	1,800 in-lbs
Collet	1/4 in Hex
Tool Length	5.2 in
Tool Weight (without battery)	2.4 lbs

RECIPROCATING SAW

FX2271

Integrated LED Light	Yes
Stroke	1-1/4 in
No-Load Speed	0-3,000 RPM
Tool Weight (without battery)	7.3 lbs

7¼" CIRCULAR SAW

FX2141

Integrated LED Light	Yes
Saw Blade	7-1/4 in
No-Load Speed	5,800 RPM
Bevel Capacity	0-56°
Arbor	5/8 in
Cut Capacity at 90°	2-5/8 in
Cut Capacity at 45°	1-7/8 in
Tool Weight (without battery)	9 lbs

OSCILLATING MULTI-TOOL

FX4111

Integrated LED Light	Yes
No-Load Speed	10,000-20,000 OPM
Oscillating Angle Left/Right	4° (+/- 2°)
Accessory System	Starlock Max
Blade Compatibility	Starlock, Starlock Plus, Starlock Max
Number of Speed Settings	5
Tool Weight (without battery)	2.8 lbs

Includes	Depth Guide, 1-1/4" (32mm) Bi-Metal Plunge Cut Blade, 1-1/4" (32mm) High Carbon Steel Plunge Cut Blade, 9" (229 mm) 6TPI Nail-Embedded Wood Demolition Blade, 6" (155 mm) 8/11TPI Thick Metal Demolition Blade, (2) Bit Holders, (2) Belt Clips, #2 Phillips Bit, T25 Bit, 7-1/4" FLEX Blade, Vacuum Adapter & Lower Guard Lever, Blade Wrench, FLEX Bag
----------	---

WORK LIGHT

FX5111

Max. Lumens	300/150 lm
Runtime	Up to 10.5 hours on high mode with a 2.5 Ah battery
Rotation	104°
Mounting	Stand-Alone, Belt Clip, or Hanging

160W FAST CHARGER

FX0411

Charging Current	5A
Input Voltage & Frequency	120V/60Hz
Charger Weight	1.8 lbs

5.0Ah LITHIUM BATTERY

FX0121

Power	960W
Battery Weight	2.1 lbs

2.5Ah LITHIUM BATTERY

FX0111

Power	480W
Battery Weight	1.3 lbs

24V BRUSHLESS

STACKED LITHIUM

HAMMER DRILL WITH TURBO MODE, QUICK EJECT IMPACT DRIVER, 7¼" CIRCULAR SAW, AND WORK LIGHT

STACKED LITHIUM KIT

FXM403-2G



½" 2-SPEED HAMMER DRILL WITH TURBO MODE

FX1271T

Integrated LED Light	Yes
No-Load Speed	0-550/0-2,000 RPM
TURBO Speed	0-700/0-2,500 RPM
Impact Rate	0-8,800/0-32,000 IPM
TURBO Impact Rate	0-11,200/0-40,000 IPM
Max. Torque	1,400 in-lbs
Clutch Settings	24+D+H
Chuck Capacity	1/2 in
Chuck Type	Metal single-sleeve keyless ratchet with carbide teeth
Tool Length	7.2 in
Tool Weight (without battery)	3.8 lbs

WORK LIGHT

FX5111

Max. Lumens	300/150 lm
Runtime	Up to 10.5 hours on high mode with a 2.5 Ah battery
Rotation	104°
Mounting	Stand-Alone, Belt Clip, or Hanging

7¼" CIRCULAR SAW

FX2141

Integrated LED Light	Yes
Saw Blade	7-1/4 in
No-Load Speed	5,800 RPM
Bevel Capacity	0-56°
Arbor	5/8 in
Cut Capacity at 90°	2-5/8 in
Cut Capacity at 45°	1-7/8 in
Tool Weight (without battery)	9 lbs

¼" QUICK EJECT HEX IMPACT DRIVER WITH MULTI MODE

FX1371A

Integrated LED Light	Yes
No-Load Speed	0-1,900/2,700/4,000 RPM
Impact Rate	0-4,450 IPM
Max. Torque	2,500 in-lbs
Collet	Quick Eject 1/4" Hex
Tool Length	4.7 in
Tool Weight (without battery)	2.7 lbs

6.0Ah STACKED LITHIUM BATTERY

FX0331

Power	1,920W
Battery Weight	2.2 lbs

3.5Ah STACKED LITHIUM BATTERY

FX0321

Power	1,200W
Battery Weight	1.5 lbs

280W RAPID CHARGER

FX0421

Charging Current	9.4A
Input Voltage & Frequency	120V/60Hz
Charger Weight	2.2 lbs

Includes	Side Handle, (2) Bit Holders, (2) Belt Clips, #2 Phillips Bit, T25 Bit, 7-1/4" 24T FLEX Blade, Vacuum Adapter & Lower Guard Lever, Blade Wrench, FLEX Bag
----------	--

24V BRUSHLESS

CIRCULAR SAW,
RECIPROCATING SAW,
ANGLE GRINDER, AND
DRILL DRIVER KIT

FXM402-2B



½" 2-SPEED DRILL DRIVER

FX1151

Integrated LED Light	Yes
No-Load Speed	0-600/0-2,200 RPM
Max. Torque	750 in-lbs
Clutch Settings	22+D
Chuck Capacity	1/2 in
Chuck Type	Metal single-sleeve keyless ratchet
Tool Length	6.9 in
Tool Weight (without battery)	3.2 lbs

7-¼" CIRCULAR SAW

FX2141

Integrated LED Light	Yes
Saw Blade	7-1/4 in
No-Load Speed	5,800 RPM
Bevel Capacity	0-56°
Arbor	5/8 in
Cut Capacity at 90°	2-5/8 in
Cut Capacity at 45°	1-7/8 in
Tool Weight (without battery)	9 lbs

5.0Ah LITHIUM BATTERY

FX0121

Power	960W
Battery Weight	2.1 lbs

2.5Ah LITHIUM BATTERY

FX0111

Power	480W
Battery Weight	1.3 lbs

5" FIXED SPEED ANGLE
GRINDER WITH SIDE SWITCH

FX3181

Integrated LED Light	Yes
No-Load Speed	10,000 RPM
Wheel Diameter	4-1/2 - 5 in
Switch Type	Side Switch with Lock
Speed Settings	1
Arbor Size	5/8 in
Tool Weight (without battery)	4.2 lbs

RECIPROCATING SAW

FX2271

Integrated LED Light	Yes
Stroke	1-1/4 in
No-Load Speed	0-3,000 RPM
Tool Weight (without battery)	7.3 lbs

Includes	9" (229 mm) 6TPI Nail-Embedded Wood Demolition Blade, 6" (155 mm) 8/11TPI Thick Metal Demolition Blade, Bit Holder, Belt Clip, 7-1/4" FLEX Blade, Vacuum Adapter & Lower Guard Lever, Blade Wrench, Grinding Guard, (2) Flanges, Wrench, Anti-Vibration Handle, FLEX Bag
----------	---

160W FAST CHARGER

FX0411

Charging Current	5A
Input Voltage & Frequency	120V/60Hz
Charger Weight	1.8 lbs

24V BRUSHLESS

DRILL DRIVER,
IMPACT DRIVER,
RECIPROCATING SAW,
AND WORK LIGHT KIT

FXM401-2A



½" 2-SPEED DRILL DRIVER

FX1151

Integrated LED Light	Yes
No-Load Speed	0-600/0-2,200 RPM
Max. Torque	750 in-lbs
Clutch Settings	22+D
Chuck Capacity	1/2 in
Chuck Type	Metal single-sleeve keyless ratchet
Tool Length	6.9 in
Tool Weight (without battery)	3.2 lbs

RECIPROCATING SAW

FX2271

Integrated LED Light	Yes
Stroke	1-1/4 in
No-Load Speed	0-3,000 RPM
Tool Weight (without battery)	7.3 lbs

(2) 2.5Ah LITHIUM BATTERIES

FX0111

Power	480W
Battery Weight	1.3 lbs

¼" HEX IMPACT DRIVER

FX1371

Integrated LED Light	Yes
No-Load Speed	0-3,400 RPM
Impact Rate	0-4,000 IPM
Max. Torque	1,800 in-lbs
Collet	1/4 in Hex
Tool Length	5.2 in, 131 mm
Tool Weight (without battery)	2.4 lbs

WORK LIGHT

FX5111

Max. Lumens	300/150 lm
Runtime	Up to 10.5 hours on high mode with a 2.5 Ah battery
Rotation	104°
Mounting	Stand-Alone, Belt Clip, or Hanging

Includes	(2) Bit Holders, (2) Belt Clips, #2 Phillips Bit, T25 Bit, 9" (229 mm) 6TPI Nail-Embedded Wood Demolition Blade, 6" (155 mm) 8/11TPI Thick Metal Demolition Blade, FLEX Bag
----------	--

160W FAST CHARGER

FX0411

Charging Current	5A
Input Voltage & Frequency	120V/60Hz
Charger Weight	1.8 lbs

24V BRUSHLESS

COMPACT
DRILL DRIVER
AND IMPACT
DRIVER KIT

FXM205-2A



NEW

24V BRUSHLESS

DRILL DRIVER
AND IMPACT
DRIVER KIT

FXM201-2A



24V BRUSHLESS

STACKED LITHIUM

HAMMER DRILL
WITH TURBO
MODE AND
QUICK EJECT
IMPACT DRIVER
KIT STACKED
LITHIUM KIT

FXM202-2G



24V BRUSHLESS

HAMMER
DRILL WITH
TURBO MODE
AND QUICK
EJECT IMPACT
DRIVER KIT

FXM202-2B



17% MORE COMPACT | 22% LIGHTER WEIGHT

Compared to FX1151

½" 2-SPEED COMPACT DRILL DRIVER

FX1131

Integrated LED Light	Yes
No-Load Speed	0-500/0-1,800 RPM
Max. Torque	650 in-lbs
Clutch Settings	18+1
Chuck Capacity	1/2 in
Chuck Type	Metal single-sleeve keyless ratchet
Tool Length	5.9 in
Tool Weight (without battery)	2.5 lbs

7% MORE COMPACT | 17% LIGHTER WEIGHT

Compared to FX1351

¼" HEX COMPACT IMPACT DRIVER

FX1331

Integrated LED Light	Yes
No-Load Speed	0-1,300/3,000 RPM
Impact Rate	0-3,800 IPM
Max. Torque	1,700 in-lbs
Collet	1/4 in Hex
Tool Length	5 in
Tool Weight (without battery)	2 lbs

(2) 2.5Ah LITHIUM BATTERIES

FX0111

Power	480W
Battery Weight	1.3 lbs

160W FAST CHARGER

FX0411

Charging Current	5A
Input Voltage & Frequency	120V/60Hz
Charger Weight	1.8 lbs

Includes (2) Bit Holders, (2) Belt Clips, #2 Phillips Bit, T25 Bit, **FLEX** Bag

½" 2-SPEED DRILL DRIVER

FX1151

Integrated LED Light	Yes
No-Load Speed	0-600/0-2,200 RPM
Max. Torque	750 in-lbs
Clutch Settings	22+D
Chuck Capacity	1/2 in
Chuck Type	Metal single-sleeve keyless ratchet
Tool Length	6.9 in
Tool Weight (without battery)	3.2 lbs

¼" HEX IMPACT DRIVER

FX1351

Integrated LED Light	Yes
No-Load Speed	0-3,400 RPM
Impact Rate	0-4,000 IPM
Max. Torque	1,800 in-lbs
Collet	1/4 in Hex
Tool Length	5.2 in
Tool Weight (without battery)	2.4 lbs

(2) 2.5Ah LITHIUM BATTERIES

FX0111

Power	480W
Battery Weight	1.3 lbs

160W FAST CHARGER

FX0411

Charging Current	5A
Input Voltage & Frequency	120V/60Hz
Charger Weight	1.8 lbs

Includes (2) Bit Holders, (2) Belt Clips, #2 Phillips Bit, T25 Bit, **FLEX** Bag

½" 2-SPEED HAMMER DRILL WITH TURBO MODE

FX1271T

Integrated LED Light	Yes
No-Load Speed	0-550/0-2,000 RPM
TURBO Speed	0-700/0-2,500 RPM
Impact Rate	0-8,800/0-32,000 IPM
TURBO Impact Rate	0-11,200/0-40,000 IPM
Max. Torque	1,400 in-lbs
Clutch Settings	24+D+H
Chuck Capacity	1/2 in
Chuck Type	Metal single-sleeve keyless ratchet with carbide teeth
Tool Length	7.2 in
Tool Weight (without battery)	3.8 lbs

¼" QUICK EJECT HEX IMPACT DRIVER WITH
MULTI MODE

FX1371A

Integrated LED Light	Yes
No-Load Speed	0-1,900/2,700/4,000 RPM
Impact Rate	0-4,450 IPM
Max. Torque	2,500 in-lbs
Collet	Quick Eject 1/4" Hex
Tool Length	4.7 in
Tool Weight (without battery)	2.7 lbs

6.0Ah STACKED
LITHIUM BATTERY

FX0331

Power	1,920W
Battery Weight	2.2 lbs

3.5Ah STACKED
LITHIUM BATTERY

FX0321

Power	1,200W
Battery Weight	1.5 lbs

280W RAPID
CHARGER

FX0421

Charging Current	9.4A
Input Voltage & Frequency	120V/60Hz
Charger Weight	2.2 lbs

Includes Side Handle, Bit Holders, Belt Clips, #2 Phillips Bit, T25 Bit, **FLEX** Bag

½" 2-SPEED HAMMER DRILL WITH TURBO MODE

FX1271T

Integrated LED Light	Yes
No-Load Speed	0-550/0-2,000 RPM
TURBO Speed	0-700/0-2,500 RPM
Impact Rate	0-8,800/0-32,000 IPM
TURBO Impact Rate	0-11,200/0-40,000 IPM
Max. Torque	1,400 in-lbs
Clutch Settings	24+D+H
Chuck Capacity	1/2 in
Chuck Type	Metal single-sleeve keyless ratchet with carbide teeth
Tool Length	7.2 in
Tool Weight (without battery)	3.8 lbs

¼" QUICK EJECT HEX IMPACT DRIVER WITH
MULTI MODE

FX1371A

Integrated LED Light	Yes
No-Load Speed	0-1,900/2,700/4,000 RPM
Impact Rate	0-4,450 IPM
Max. Torque	2,500 in-lbs
Collet	Quick Eject 1/4" Hex
Tool Length	4.7 in
Tool Weight (without battery)	2.7 lbs

5.0Ah LITHIUM
BATTERY

FX0121

Power	960W
Battery Weight	2.1 lbs

2.5Ah LITHIUM
BATTERY

FX0111

Power	480W
Battery Weight	1.3 lbs

160W FAST
CHARGER

FX0411

Charging Current	5A
Input Voltage & Frequency	120V/60Hz
Charger Weight	1.8 lbs

Includes Side Handle, Bit Holders, Belt Clips, #2 Phillips Bit, T25 Bit, **FLEX** Bag

24V BRUSHLESS

DRILL DRIVER
WITH TURBO
MODE AND
QUICK EJECT
IMPACT DRIVER
KIT

FXM204-2B



½" 2-SPEED DRILL DRIVER WITH TURBO MODE

FX1171T

Integrated LED Light	Yes
No-Load Speed	0-550/0-2,000 RPM
TURBO Speed	0-700/0-2,500 RPM
Max. Torque	1,400 in-lbs
Clutch Settings	22+D
Chuck Capacity	1/2 in
Chuck Type	Metal single-sleeve keyless ratchet with carbide teeth
Tool Length	7 in
Tool Weight (without battery)	3.7 lbs

¼" QUICK EJECT HEX IMPACT DRIVER WITH
MULTI MODE

FX1371A

Integrated LED Light	Yes
No-Load Speed	0-1,900/2,700/4,000 RPM
Impact Rate	0-4,450 IPM
Max. Torque	2,500 in-lbs
Collet	Quick Eject 1/4" Hex
Tool Length	4.7 in
Tool Weight (without battery)	2.7 lbs

5.0Ah LITHIUM
BATTERY

FX0121

Power	960W
Battery Weight	2.1 lbs

2.5Ah LITHIUM
BATTERY

FX0111

Power	480W
Battery Weight	1.3 lbs

160W FAST
CHARGER

FX0411

Charging Current	5A
Input Voltage & Frequency	120V/60Hz
Charger Weight	1.8 lbs

Includes	Side Handle, Bit Holders, Belt Clips, #2 Phillips Bit, T25 Bit, FLEX Bag
----------	---

24V BRUSHLESS

DRYWALL SCREW
GUN AND CUT
OUT TOOL KIT

FXM203-2AA



DRYWALL SCREW GUN

FX1611

Bit Type	1/4 in Hex
No-Load Speed	0-4,500 RPM
Tool Weight (Tool Only)	2.5 lbs

DRYWALL CUTOUT TOOL

FX2471

No-Load Speed	28,000 RPM
Collet Diameter	1/4 in and 1/8 in
Tool Length	9 in

(2) 2.5Ah LITHIUM BATTERIES

FX0111

Power	480W
Battery Weight	1.3 lbs

160W FAST CHARGER

FX0411

Charging Current	5A
Input Voltage & Frequency	120V/60Hz
Charger Weight	1.8 lbs

Includes	Bit Holder, (2) Belt Clips, Magnetic Bit Holder, Long PH2 Bit, Short PH2 Bit, Wrench, (2) Collets (1/8" & 1/4"),(2) 1/8" Drywall Bits, FLEX Bag
----------	--

24V BRUSHLESS

DRYWALL
SCREW GUN
WITH MAGAZINE
ATTACHMENT
AND CUT OUT
TOOL KIT

FXM203-2A



DRYWALL SCREW GUN

FX1611

Bit Type	1/4 in Hex
No-Load Speed	0-4,500 RPM
Tool Weight (Tool Only)	2.5 lbs

DRYWALL CUTOUT TOOL

FX2471

No-Load Speed	28,000 RPM
Collet Diameter	1/4 in and 1/8 in
Tool Length	9 in

MAGAZINE ATTACHMENT FOR
COLLATED SCREWS

FT161

Magazine Length	8-5/16 in
Collated Screw Length	1-2 in
Collated Screw Size	#6, #7, and #8
Max. Screw Per Strip	50 pcs
Attachment Weight	0.7 lbs

(2) 2.5Ah LITHIUM BATTERIES

FX0111

Power	480W
Battery Weight	1.3 lbs

160W FAST CHARGER

FX0411

Charging Current	5A
Input Voltage & Frequency	120V/60Hz
Charger Weight	1.8 lbs

Includes	Bit Holder, (2) Belt Clips, Magnetic Bit Holder, Long PH2 Bit, Short PH2 Bit, Wrench, (2) Collets (1/8" & 1/4"),(2) 1/8" Drywall Bits, FLEX Bag
----------	--

ACCESSORIES



SIGHTMAX™

NEW

Transparent line of sight
to the material
under your disc

SEE THE
BEAD



SCAN TO SEE THE
BLADES IN ACTION

FLEX SIGHTMAX™ Discs

- **SEGMENTED DESIGN**
See the work surface, so you don't over work areas that need attention
- **OPTIMIZED FOR CORDLESS**
- **HIGH-QUALITY ZIRCONIUM ABRASIVE GRAIN**
High resistance to heat and is stronger than normal aluminum oxide grains
- **MAXIMIZED PRODUCTIVITY**
Clear line of sight for fewer passes and quicker work
- Available in 4½" and 5" discs and 40, 60, and 80 Grit
- Included with all **FLEX** Angle Grinders starting spring 2024



ABRASIVES

4½" SIGHTMAX™ 40 GRIT FLAP DISC

OPTIMIZED FOR CORDLESS



	FA302001
Materials	Stainless Steel, Steel, Carbon Steel, Cast Iron, Painted Wood
Diameter	4.5 in
Thickness	.0875 in
Grit	40
Arbor Diameter	7/8 in
Blade Type	29
Max RPM	13,300
Water Resistant	Yes

4½" SIGHTMAX™ 60 GRIT FLAP DISC

OPTIMIZED FOR CORDLESS



	FA302002
Materials	Stainless Steel, Steel, Carbon Steel, Cast Iron, Painted Wood
Diameter	4.5 in
Thickness	.0875 in
Grit	60
Arbor Diameter	7/8 in
Blade Type	29
Max RPM	13,300
Water Resistant	Yes

4½" SIGHTMAX™ 80 GRIT FLAP DISC

OPTIMIZED FOR CORDLESS



	FA302003
Materials	Stainless Steel, Steel, Carbon Steel, Cast Iron, Painted Wood
Diameter	4.5 in
Thickness	.0875 in
Grit	80
Arbor Diameter	7/8 in
Blade Type	29
Max RPM	13,300
Water Resistant	Yes

NEW

5" SIGHTMAX™ 40 GRIT FLAP DISC

OPTIMIZED FOR CORDLESS



	FA302006
Materials	Stainless Steel, Steel, Carbon Steel, Cast Iron, Painted Wood
Diameter	5 in
Thickness	.0875 in
Grit	40
Arbor Diameter	7/8 in
Blade Type	29
Max RPM	12,250
Water Resistant	Yes

5" SIGHTMAX™ 60 GRIT FLAP DISC

OPTIMIZED FOR CORDLESS



	FA302007
Materials	Stainless Steel, Steel, Carbon Steel, Cast Iron, Painted Wood
Diameter	5 in
Thickness	.0875 in
Grit	60
Arbor Diameter	7/8 in
Blade Type	29
Max RPM	12,250
Water Resistant	Yes

5" SIGHTMAX™ 80 GRIT FLAP DISC

OPTIMIZED FOR CORDLESS



	FA302008
Materials	Stainless Steel, Steel, Carbon Steel, Cast Iron, Painted Wood
Diameter	5 in
Thickness	.0875 in
Grit	80
Arbor Diameter	7/8 in
Blade Type	29
Max RPM	12,250
Water Resistant	Yes

RAZOR SLICE™

THINNEST
KERF IN THE
MARKET

.024"
0.61 mm

NEW

FLEX RAZOR SLICE™ Discs

- **THIN KERF DESIGN**
World's Thinnest Cut Off: .024in
- **OPTIMIZED FOR CORDLESS**
- Precise and low-burr cutting
- Available in 4½" and 5" discs
- Included with all **FLEX** Angle Grinders starting spring 2024

4½" RAZOR SLICE™
CUT OFF DISC

OPTIMIZED FOR CORDLESS

FA301001	
Materials	Stainless Steel, Steel, Carbon Steel, Cast Iron
Diameter	4.5 in
Thickness	.024 in
Arbor Diameter	7/8 in
Blade Type	27
Max RPM	13,300
Water Resistant	Yes

5" RAZOR SLICE™
CUT OFF DISC

OPTIMIZED FOR CORDLESS

FA301002	
Materials	Stainless Steel, Steel, Carbon Steel, Cast Iron
Diameter	5 in
Thickness	.024 in
Arbor Diameter	7/8 in
Blade Type	27
Max RPM	12,250
Water Resistant	Yes

ABRASIVES

4½" CUT-OFF WHEEL
TYPE 1



FA301003	
Materials	Metal
Diameter	4.5 in
Thickness	.04 in
Arbor Diameter	7/8 in
Blade Type	1
Max RPM	13,300
Water Resistant	Yes

5" GRINDING DISC



FA303002	
Materials	Metal
Diameter	5 in
Thickness	.25 in
Arbor Diameter	7/8 in
Blade Type	27
Max RPM	12,250
Water Resistant	Yes

4½" BLENDING/GRINDING
40 GRIT FLAP DISC



FA302004	
Materials	Stainless Steel, Steel, Carbon Steel, Cast Iron, Painted Wood
Diameter	4.5 in
Thickness	.0875 in
Grit	40
Arbor Diameter	7/8 in
Blade Type	29
Max RPM	13,300
Water Resistant	Yes

4½" COMBO
CUT/GRIND DISC



FA303001	
Materials	Metal, Stainless Steel, Aluminum, Stone, PVC
Diameter	4.5 in
Thickness	.0781 in
Arbor Diameter	7/8 in
Blade Type	27
Max RPM	13,300
Water Resistant	Yes

4½" HUB
GRINDING DISC



FA303003	
Materials	Metal
Diameter	4.5 in
Thickness	.25 in
Arbor Diameter	5/8-1 in
Blade Type	27
Max RPM	13,300
Water Resistant	Yes

4½" BLENDING/GRINDING
60 GRIT FLAP DISC



FA302005	
Materials	Stainless Steel, Steel, Carbon Steel, Cast Iron, Painted Wood
Diameter	4.5 in
Thickness	.0875 in
Grit	60
Arbor Diameter	7/8 in
Blade Type	29
Max RPM	13,300
Water Resistant	Yes

NEW



44-7/8" 10/14 TPI
PORTABLE BAND
SAW BLADES

For Use With Cordless And Corded Bandsaws



FA204001-3	
Blade Type	Deep Cut
Materials	Heavy Metal, Cast Iron Pipe, Angle Iron, Stainless Steel, PVC, Threaded Rod
Number of Teeth	10/14 TPI
Thickness	0.02 in
Blade Length	44-7/8
Blade Material	Bi-metal
Pieces per Package	3

32-7/8" 10/14 TPI
COMPACT PORTABLE
BAND SAW BLADES

For Use With Cordless And Corded Bandsaws



FA204003-3	
Blade Type	Compact
Materials	Wood, Heavy Metal, Cast Iron Pipe, Angle Iron, Stainless Steel, PVC, Threaded Rod
Number of Teeth	10/14 TPI
Thickness	0.02 in
Blade Length	32-7/8 in
Blade Material	Bi-metal
Pieces per Package	3

44-7/8" 14/18 TPI
PORTABLE BAND
SAW BLADES

For Use With Cordless And Corded Bandsaws



FA204002-3	
Blade Type	Deep Cut
Materials	Heavy Metal, Cast Iron Pipe, Angle Iron, Stainless Steel, PVC, Threaded Rod
Number of Teeth	14/18 TPI
Thickness	0.02 in
Blade Length	44-7/8
Blade Material	Bi-metal
Pieces per Package	3

23-7/8" 14/18 TPI
COMPACT PORTABLE
BAND SAW BLADES

For Use With Cordless And Corded Bandsaws



FA204004-3	
Blade Type	Compact
Materials	Heavy Metal, Cast Iron Pipe, Angle Iron, Stainless Steel, PVC, Threaded Rod
Number of Teeth	14/18 TPI
Thickness	0.02 in
Blade Length	32-7/8
Blade Material	Bi-metal
Pieces per Package	3


CUTTING

12 PC. DEMOLITION
RECIPROCATING
SAW BLADE SET



FA20201-12	
Blade Type	Bi-Metal Blade Construction
Materials	Wood, Nails, Various Metals
Teeth Per Inch	(5) 6TPI, (5) 8/11TPI, (2) 10/14TPI
Blade Length	(8) 6in, (4) 9 in

10 PC. JIGSAW BLADE KIT



FAM20301-10	
(2) 4" 10TPI Clean	
(1) 4" 10TPI Clean down cut reverse tooth	
(3) 3-1/4" 20TPI clean curved cut	
(2) 4" 5-6TPI speed Progressive	
(3) 3-5/8" 17-24TPI thin metal progressive	
(1) 3-5/8" 11-14TPI medium metal progressive	

5 PC. TRIMMING PROJECT SET



FAM40001-5	
(1) 1-1/4" Starlock Oscillating Multi-Tool Bi-M Plunge Cut Blade	
(1) 1-1/4" Starlock Oscillating Multi-Tool HCS Plunge Cut Blade	
(1) 3/8" Starlock Oscillating Multi-Tool Bi-M Plunge Cut Blade	
(1) 3-1/2" Starlock Oscillating Multi-Tool Titanium Bi-M Segmented Saw Blade	
(1) 2" Starlock Oscillating Multi-Tool HCS Rigid Scraper Blade	

3 PC. PLUNGE CUT BLADE SET



9" CARBIDE
RECIPROCATING
SAW BLADE



FA202006	
Blade Type	Demolition Carbide Tooth Blade
Materials	Heavy Metal, Stainless Steel, Cast Iron
Teeth Per Inch	8TPI
Blade Length	9 in

5 PC. TILING PROJECT SET



FAM40002-5	
(1) 1-1/4" Starlock Oscillating Multi-Tool Bi-Metal Plunge Cut Blade	
(1) 1-1/4" Starlock Oscillating Multi-Tool High Carbon Steel Plunge Cut Blade	
(1) 3" Starlock Oscillating Multi-Tool Carbide Grit-20 Delta Rigid Scraper Blade	
(1) 3-1/2" Starlock Oscillating Multi-Tool Grit-30 Grout Grind Blade	
(1) 2" Starlock Oscillating Multi-Tool High Carbon Steel Rigid Scraper Blade	

41 PC. SANDING PROJECT SET



FAM40003-41	
(1) 3-5/8" Starlock Oscillating Multi-Tool Delta Sanding Pad	
(1) 3-5/8" (92 mm) Oscillating Multi-Tool Sanding Paper 60 Grit	
(1) 3-5/8" (92 mm) Oscillating Multi-Tool Sanding Paper 120 Grit	
(1) 3-5/8" (92 mm) Oscillating Multi-Tool Sanding Paper 180 Grit	
(1) Oscillating Multi-Tool Sanding Paper 240 Grit	

FAM40101-3	
(1) 1-1/4" Starlock Oscillating Multi-Tool Bi-M Plunge Cut Blade	
(1) 1-1/4" Starlock Oscillating Multi-Tool HCS Plunge Cut Blade	
(1) 3/8" Starlock Oscillating Multi-Tool Bi-M Plunge Cut Blade	

CUTTING

7¼" 24T CARBIDE
CIRCULAR SAW BLADE

For Use With Cordless And
Corded Circular Saws



Blade Type	Construction Framing + Forming
Materials	Wood, Treated Wood, Hardwood, Plywood
Number of Teeth	24T (Type: ATAFR)
Max. RPM	8,000 RPM
Arbor Diameter	5/8" Round with 13/16" Diamond Knockout
Kerf	0.063
Blister (1 Pc)	FA201001
Counter Box (10 pcs)	FA201001-10B

7¼" 40T FINE TRIM
CROSSCUT WOOD
BLADE

For Use With Cordless And
Corded Circular Saws



	FA201004-10B
Blade Type	Fine Finish
Materials	Wood, Treated Wood, OSB, Laminate, MDF
Number of Teeth	40T (Type: ATAFR)
Max. RPM	7,900 RPM
Arbor Diameter	5/8" Round with 13/16" Diamond Knockout
Kerf	0.063"
Pieces per Package	10

7¼" 60T PREMIUM
PRECISION-TRIM/
CROSSCUT WOOD BLADE

For Use With Cordless And
Corded Circular Saws



	FA201005-10B
Blade Type	Ultra Fine Finish
Materials	Wood, Treated Wood, OSB, Laminate, MDF, Melamine
Number of Teeth	60T (Type: ATAFR)
Max. RPM	8,800 RPM
Arbor Diameter	5/8" Round with 13/16" Diamond Knockout
Kerf	0.063"
Pieces per Package	10

7¼" 24T DEMOLITION
SUPERIOR FRAMING/FORMING
CIRCULAR SAW BLADE

For Use With Cordless And
Corded Circular Saws



	FA201003-10B
Blade Type	Demolition, Framing, Concrete Construction, Forming
Materials	Wood, Nail Embedded Wood, Treated Lumber, Laminate, Plywood
Number of Teeth	24T
Max. RPM	7,900 RPM
Arbor Diameter	5/8" Round with 13/16" Diamond Knockout
Kerf	0.063"
Pieces per Package	10

6½" 24T CARBIDE
CIRCULAR SAW BLADE

For Use With Cordless And
Corded Circular Saws



Blade Type	Construction Framing + Forming
Materials	Wood, Treated Wood, Hardwood, Plywood
Number of Teeth	24T (Type: ATAFR)
Max. RPM	8,000 RPM
Arbor Diameter	5/8" Round with 13/16" Diamond Knockout
Kerf	0.063
Blister (1 Pc)	FA201002
Counter Box (10 pcs)	FA201002-10B

6½" 40T FINE TRIM
CROSSCUT WOOD
BLADE

For Use With Cordless And
Corded Circular Saws



	FA201007-10B
Blade Type	Fine Finish
Materials	Wood, Treated Wood, OSB, Laminate, MDF, Melamine
Number of Teeth	40T (Type: ATAFR)
Max. RPM	8,800 RPM
Arbor Diameter	5/8" Round with 13/16" Diamond Knockout
Kerf	0.063"
Pieces per Package	10

DRILLING, DRIVING & FASTENING

45 PC. IMPACT
DRIVER BIT SET


IMPACT SHIELD



FAM10103-45
(6 PC.) 2" POWER BITS (2) PH2 ⊕, (1) SQ2 ◼, (1) T25 ⚙, (1) T30 ⚙, (1) T40 ⚙
(33 PC.) 1" INSERT BITS (1) PH1 ⊕, (4) PH2 ⊕, (3) PH3 ⊕, (1) SQ1 ◼, (5) SQ2 ◼, (1) SQ3 ◼, (1) T10 ⚙, (1) T15 ⚙, (1) T20 ⚙, (3) T25 ⚙, (3) T30 ⚙, (3) T40 ⚙, (1) SLOT 6 ⊖, (1) SLOT 8 ⊖, (1) SLOT 10 ⊖, (1) ALLEN 1/8" ⬢, (1) ALLEN 5/32" ⬢, (1) ALLEN 3/16" ⬢, (1) ALLEN 1/4" ⬢
(2 PC.) 2" LENGTH NUT SETTER (1) 1/4" ⬤, (1) 5/16" ⬤
(1 PC.) 2-3/8" MAGNETIC EXTENSION HOLDER
(2 PC.) 3" THIN WALL DEEP WELL 6-POINT 1/2" DRIVE NUT SOCKET WITH DUAL HOLES DESIGN (1) 3/8" ⬤, (1) 1/2" ⬤
1/2" DRIVE TO 1/4" HEX DRIVE SOCKET ADAPTER

31 PC. IMPACT
DRILL AND
DRIVE BIT SET

IMPACT SHIELD



FAM10001-31
(9 PC.) 2" POWER BITS (2) PH2 ⊕, (2) SQ2 ◼, (2) T20 ⚙, (2) T25 ⚙, (1) T30 ⚙
(16 PC.) 1" INSERT BITS (1) PH1 ⊕, (2) PH2 ⊕, (1) PH3 ⊕, (1) SQ1 ◼, (2) SQ2 ◼, (1) SQ3 ◼, (1) T15 ⚙, (3) T20 ⚙, (3) T25 ⚙, (1) T30 ⚙
(5 PC.) TITANIUM-COATED HEX SHANK DRILL BITS (2) 1/8", (1) 5/32", (1) 3/16", (1) 1/4",
(1 PC.) 3" MAGNETIC EXTENSION HOLDER

41 PC. IMPACT
DRIVER BIT SET


IMPACT SHIELD



FAM10102-41
(9 PC.) 2" POWER BITS (2) PH2 ⊕, (2) SQ2 ◼, (1) T20 ⚙, (3) T25 ⚙, (1) T30 ⚙
(28 PC.) 1" INSERT BITS (2) PH1 ⊕, (4) PH2 ⊕, (2) PH3 ⊕, (2) SQ1 ◼, (4) SQ2 ◼, (2) SQ3 ◼, (2) T15 ⚙, (4) T20 ⚙, (4) T25 ⚙, (2) T30 ⚙
(2 PC.) 2" LENGTH NUT SETTER (1) 1/4" ⬤, (1) 5/16" ⬤
(1 PC.) 3" MAGNETIC EXTENSION HOLDER
(1 PC.) 6" MAGNETIC EXTENSION HOLDER

29 PC. IMPACT
DRIVER BIT SET

IMPACT SHIELD



FAM10101-29
(10 PC.) 2" POWER BITS (3) PH2 ⊕, (2) SQ2 ◼, (1) T20 ⚙, (3) T25 ⚙, (1) T30 ⚙
(16 PC.) 1" INSERT BITS (1) PH1 ⊕, (2) PH2 ⊕, (1) PH3 ⊕, (1) SQ1 ◼, (2) SQ2 ◼, (1) SQ3 ◼, (1) T15 ⚙, (3) T20 ⚙, (3) T25 ⚙, (1) T30 ⚙
(2 PC.) 2" LENGTH NUT SETTER (1) 1/4" ⬤, (1) 5/16" ⬤
(1 PC.) 3" MAGNETIC EXTENSION HOLDER

DRILLING, DRIVING & FASTENING


2-9/16" 4 PC. IMPACT MAGNETIC NUT DRIVER SET



FAM10301-4

(4 PC.) 2-9/16" IMPACT MAGNETIC NUT SETTER
(1) 1/4" (1) 5/16" (1) 3/8" (1) 7/16"


10 PC. CARBIDE-TIPPED MULTI-CONSTRUCTION DRILL & DRIVE BIT SET



FAM10601-10

(5 PC.) CARBIDE-TIPPED MULTI-MATERIAL DRILL BITS
(1) 5/32" (1) 3/16" (2) 1/4" (1) 5/16"
(3 PC.) 2" INSERT BITS
(1) PH2 (1) PH3 (1) T25
(2 PC.) 2" LENGTH NUT SETTER
(1) 3/8" (1) 5/16"

10 PC. THIN WALL DEEP WELL 6-POINT 1/2" DRIVE IMPACT NUT SOCKET SET



FAM10401-10


(9 PC.) 3" THIN WALL DEEP WELL 6-POINT 1/2" DRIVE NUT SOCKET WITH DUAL HOLES DESIGN
(1) 3/8" (1) 7/16" (1) 1/2" (1) 9/16" (1) 5/8" (1) 11/16" (1) 3/4" (1) 13/16" (1) 7/8"
1/2" DRIVE TO 1/4" HEX DRIVE SOCKET ADAPTER

3 PC. 1/4" HEX AUGER SET



FAM10701-3

(1) 5/8" WOOD AUGER DRILL BIT
(1) 3/4" WOOD AUGER DRILL BIT
(1) 1" WOOD AUGER DRILL BIT



DRILLING, DRIVING & FASTENING

6" IMPACT MAGNETIC EXTENSION

FA105001



IMPACT SHIELD

- Bit Grade: Impact Rated
- Bit Length: 6 in, 152 mm
- Magnetic
- 1/4" Hex Shank
- C-Ring
- Stainless Steel body

12" IMPACT MAGNETIC EXTENSION

FA105002



IMPACT SHIELD

- Bit Grade: Impact Rated
- Bit Length: 12 in, 305 mm
- Magnetic
- 1/4" Hex Shank
- C-Ring
- Stainless Steel body

6" PHILLIPS BIT FOR COLLATED ATTACHMENT (5-PACK)

FA101000-5



IMPACT SHIELD

- Black Phosphate Coating
- Bit Length: 6 in, 152 mm
- 1/4" Hex Shank

IMPACKS 1" PH2 IMPACT DRIVER BIT 20PC.

FA101001-20

IMPACT SHIELD



IMPACKS 2" PH2 IMPACT DRIVER BIT 20PC.

FA101002-20

IMPACT SHIELD



IMPACKS 1" SQ2 IMPACT DRIVER BIT 20PC.

FA101003-20

IMPACT SHIELD



IMPACKS 2" SQ2 IMPACT DRIVER BIT 20PC.

FA101004-20

IMPACT SHIELD



IMPACKS 1" T25 IMPACT DRIVER BIT 20PC.

FA101005-20

IMPACT SHIELD



IMPACKS 2" T25 IMPACT DRIVER BIT 20PC.

FA101006-20

IMPACT SHIELD



IMPACKS 1" T30 IMPACT DRIVER BIT 20PC.

FA101007-20

IMPACT SHIELD



IMPACKS 2" T30 IMPACT DRIVER BIT 20PC.

FA101008-20

IMPACT SHIELD



IMPACKS 1" MIXED ALLEN & SLOTTED IMPACT DRIVER BIT 20PC.

FA101009-20

IMPACT SHIELD



FLEX

IT'S
WHAT'S
NEXT



NOTES


[illegible]

NOTES

[illegible]

FLEX

IT'S
WHAT'S
NEXT



SCAN TO SEE WHAT'S NEXT



#flexpowertoolsna
#ItsWhatsNext

